




Osmocote[®] Pro

Pro 12-14M

 Your go-to nutrition solution for autumn and spring pottings

18 | 3.9 | 8.3 | TE
N | P | K

Description

The perfect choice for potting in spring or autumn. Your plants will have essential nutrition throughout the crop cycle with the regular release pattern delivered by our unique resin coating. They will flourish with a high intake of NPK, magnesium and an increased level of all essential trace elements. Osmocote[®] Pro 12-14M is safe, reliable and great value.

Guaranteed analysis

Elemental

N	Total Nitrogen	18%
	Nitrate nitrogen (N-NO ₃)	5.9%
	Ammoniacal nitrogen (N-NH ₄)	7.7%
	Urea nitrogen (N-Urea)	4.4%
<hr/>		
P	Phosphorus	3.9%
	Water soluble (P)	2.9%



K	Potassium	8.3%
	Water soluble (K)	8.3%
Mg	Magnesium	1.2%
	Water soluble (Mg)	0.8%
B	Boron	0.018%
	Water soluble (B)	0.016%
Cu	Copper	0.045%
	Water soluble (Cu)	0.035%
Fe	Iron	0.35%
	Iron EDTA (Fe)	0.07%
Mn	Manganese	0.049%
Mo	Molybdenum	0.017%
	Water soluble (Mo)	0.017%
Zn	Zinc	0.014%

Benefits

- High NPK content, Mg and trace elements
- Resin coating for a regular release over full crop cycle
- Great value, safe and easy to use

Application rates

	Light feeding	Normal feeding	When 50% of nutrition is supplied by Peters or Universol
Container Nursery Stock, Pot and Bedding plants	6 g/l	7 g/l	3.5 g/l



Important: Rates for Osmocote are based on pot volumes. When incorporating fertiliser throughout the media and repotting plants into bigger pots, the dosage rate should be increased to compensate for the dilution effect. Please contact your ICL advisor for plant-specific recommendations.

How to use

- 1 Osmocote® Pro is also ideal in combination with water-soluble fertilizer, but it's important to lower the application rates mentioned below, depending on the amount of water-soluble fertilizer applied.
- 2 Osmocote® Pro 12-14M's longevity depends on temperature (product longevity is determined at 21° C):
16° C: 15-17 months 21° C: 12-14 months 26° C: 9-11 months.
- 3 Close partly used or damaged bags securely.
- 4 Store under dry conditions.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

<https://icl-growingsolutions.com/en-au/ornamental-horticulture/products/osmocote-pro-pro-12-14m/>
: 15/05/2024