



Peters® Professional

Foliar Feed

The perfect leaf-feeding solution for fast absorption

27 | 6.5 | 10.0 | TE
N P K



Guaranteed analysis

Elemental

N	Total Nitrogen	27%
	Nitrate nitrogen (N-NO ₃)	3.6%
	Ammoniacal nitrogen (N-NH ₄)	2.9%
	Urea nitrogen (N-Urea)	20.5%
P	Phosphorus	6.5%
	Water soluble (P)	6.5%
K	Potassium	10.0%
	Water soluble (K)	10.0%
B	Boron	0.03%
	Water soluble (B)	0.03%
Cu	Copper	0.070%
	Water soluble (Cu)	0.070%
	Copper EDTA (Cu)	0.070%
Fe	Iron	0.15%
	Water soluble (Fe)	0.15%
	Iron DTPA (Fe)	0.15%
Mn	Manganese	0.07%
	Water soluble (Mn)	0.07%
	Manganese EDTA (Mn)	0.07%
Mo	Molybdenum	0.001%
	Water soluble (Mo)	0.001%
Zn	Zinc	0.070%
	Water soluble (Zn)	0.070%
	Zinc EDTA (Zn)	0.070%

Description

If you prefer to feed your pot and bedding plants through their leaves rather than the roots, this is the one! With Peters® Professional Foliar Feed, they'll get all the nutrition they need. Featuring a high urea content, NPK and a specifically modified complement of trace elements, as well as our M-77 chelating formula. With no ballast substances, Foliar Feed is pure goodness, and plants will respond fast.

Benefits

- Perfect solution if root absorption is not ideal
- Small, easy-dissolve granules
- Urea and trace elements: ideal for potted and bedding plants

Characteristics

How to use

- 1 It's best to prepare your stock solution 1-2 hours before use, stir well or use warm water to make sure that Peters® Professional Foliar Feed dissolves completely.
- 2 Do not mix this product with Peters® Excel.
- 3 Close partly used or damaged bags securely.
- 4 Store under dry conditions.
- 5 If you need more information, please contact your technical support.

Application rates

Pot and bedding plants:

	100% Peters (continuous feeding)	50% Peters when using 50% Osmocote
Crops with high fertiliser requirements	1-2 g/l	0.5-1 g/l
Crops with normal fertiliser requirements	1-1.5 g/l	0.5-0.75 g/l
Salt sensitive crops	0.5-1 g/l	Depends on situation

Container nursery stock:

	100% Peters	50% Peters when using 50% Osmocote
Crops with high fertiliser requirements	20 g/m2/week	10 g/m2/week
Crops with normal fertiliser requirements	15 g/m2/week	7.5 g/m2/week

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.