



Greenmaster® Liquid

Effect Iron Fe

Consistent and quality liquid iron



Guaranteed analysis

| Elemental | | |
|-----------|--------------------|--------|
| N | Total Nitrogen | 0% |
| P | Phosphorus | 0% |
| K | Potassium | 0% |
| Cu | Copper | 0.025% |
| | Water soluble (Cu) | 0.025% |
| | Copper EDTA (Cu) | 0.025% |
| Fe | Iron | 7.216% |
| | Water soluble (Fe) | 7.216% |
| | Iron EDTA (Fe) | 0.377% |
| Zn | Zinc | 0.025% |
| | Water soluble (Zn) | 0.025% |
| | Zinc EDTA (Zn) | 0.025% |

Characteristics

| | |
|-----------------------|-------------------------------------|
| Pack size | 10 litre and 200 litre |
| Formulation | Liquid |
| Technology | Conventional |
| | 4 weeks |
| Longevity | *depending on environmental factors |
| Typical turf response | <24 hours |
| Specific gravity | 1.25 |

Description

Greenmaster® Liquid Effect Iron Fe is the perfect partner for mixing into your tank to boost turf color. With a 6.3% iron content, it delivers a green-up within 3 hours and can last for up to 6 weeks. You can use it throughout the growing season. It is supported by research showing benefits of use during disease pressure periods as a part of an ITM approach.

Benefits

- \\ Ideal mixer for increasing iron levels
- \\ Delivers a green-up within 3 hours, lasting up to 6 weeks
- \\ Use all year

How to use

- 1 Do not apply if there is a risk of contact with concrete, marble, stone, fabric, etc.
- 2 Brush off any spillages on paving slabs, concrete, clothes, etc. immediately, as product may cause discoloration.
- 3 If you need more information, please contact your technical support.

Application rates

| Recommended rate: | Average recommended rate: |
|-------------------|---------------------------|
| 10 - 30 L/ha | 20 L/ha |

Trial first on a small scale before changing the rate, or any other variables, As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.