



Osmocote®
Exact
Mini

5-6M

Easy, accurate and reliable dosing over 5 to 6 months for small plant pots

15 | 9 | 11 | 2.0 | TE
N P₂O₅ K₂O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	15%
	Nitrate nitrogen (N-NO ₃)	6.6%
	Ammoniacal nitrogen (N-NH ₄)	8.4%
P ₂ O ₅	Phosphorus Pentoxide	9%
	Water soluble (P ₂ O ₅)	6.7%
K ₂ O	Potassium Oxide	11%
	Water Soluble (K ₂ O)	11.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	1.3%
B	Boron	0.02%
	Water soluble (B)	0.02%
Cu	Copper	0.050%
	Water soluble (Cu)	0.031%
Fe	Iron	0.45%
	Iron EDTA (Fe)	0.09%
Mn	Manganese	0.06%
Mo	Molybdenum	0.020%
	Water soluble (Mo)	0.014%
Zn	Zinc	0.015%

Description

The finer granules of Osmocote® Exact Mini 5-6M make it perfect for smaller pots. Just mix the granules in or apply by topdressing once the roots have developed, and the nutrients will be steadily released. Ideal for small substrate volumes from 20 ml, so it is perfect for plugs and trays with small compartments – or any pot smaller than 8 cm in diameter. 100% coated & 100% safe for plants.

Benefits

- Full package of trace elements and magnesium
- Uniform plant growth thanks to excellent granule distribution
- All nutrients in every granule

How to use

- 1 The temperature affects Osmocote® Exact Mini longevity, determined at 21°C. 16°C: 4-5M 21°C: 5-6M 26°C: 2-3M.
- 2 Close partly used or damaged bags securely.
- 3 Store under dry conditions.
- 4 If you need more information, please contact your technical support.

Application rates

	Mixed in substrate	Broadcast
Fast-growing cuttings	2-2.25 g/l	50-70 g/m ²
Mini pot plants	2-3 g/l	50-70 g/m ²
Forestry cuttings	1.5-2.5 g/l	50-70 g/m ²
Forestry seedlings of species germinating within 2 months	1.5-2.5 g/l	50-70 g/m ²
Nursery stock cuttings	1.5-2.5 g/l	50-70 g/m ²

****Recommended application rates for Osmocote® Exact Mini granules in g/l**** Attention The recommended rates above are based on unfertilised substrates. Adjust the pH level according to crop requirements. These are general recommendations. Adjust for specific situations, such as use in tunnels or greenhouses, or specific climate conditions. Not recommended for dibbling and/or autumn/winter pottings. Contact your ICL Specialty Fertilisers advisor for more detailed advice. Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL Specialty Fertilisers cannot be held responsible for any adverse results.

Attention

Please contact your ICL Technical Area Sales Manager for more detailed advice.

ICL Growing Solutions marketing.ukire@icl-group.com

