


Micromax[®] WS

WS Fe Chelate Mix

 The fast feed for fighting off iron deficiencies

0 | 0 | 0 | TE
N P₂O₅ K₂O



Description

If an iron deficiency is affecting your plants, just reach for the Micromax[®] WS Fe and they'll be back to full health in just a few days. This premium fully water-soluble fertiliser contains both EDDHA-chelated iron and X3, a specific biostimulant that helps plants absorb it into their leaves as quickly and effectively as possible. You can use it with a wide variety of crops, and it's great in a tank mix. Micromax is a range of premium water soluble fertilisers which are used in agriculture and horticulture to prevent and control deficiencies. It is equally efficient when applied by means of fertigation as a foliar spray.

Guaranteed analysis

Oxide

N	Total Nitrogen	0%
P ₂ O ₅	Phosphorus Pentoxide	0%
K ₂ O	Potassium Oxide	0%

Fe	Iron	7%
	Water soluble (Fe)	7%
	Iron EDDHA (Fe)	7%

Benefits

- Quickly eradicates any iron deficiency
- 100% water-soluble: quick and easy to prepare
- Biostimulant for fast uptake
- Can be tank mixed with a wide range of other fertilisers and crop protection compounds

Application rates

Recommended rates

Flowers & vegetables

Fertigation: 3-5 kg/ha, starting at first Fe-chlorosis symptoms.

Foliar application: 0.2-0.3%, starting at first Fe-chlorosis symptoms; apply 2 additional sprays at 10 – 15 days intervals

Top & soft fruits

Fertigation: 5-7 kg/ha, starting at first Fe-chlorosis symptoms.

Foliar application: 0.2-0.3%, starting at fruit-set; watch for Fe deficiency symptoms, and react immediately by applying 2 - 3 additional sprays at 10 - 15 days intervals

Arable crops

Foliar application: 0.3-0.4%, starting at first Fe-chlorosis symptoms; apply 2 additional sprays at 10-15-day intervals.

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

How to use

- 1 Micromax® can cause discoloration on the plant.
- 2 Store the product in a cool, dry, ventilated place.
- 3 If you need more information, please contact your technical support.

Attention

Please contact your ICL Technical Area Sales Manager for more detailed advice.

<https://icl-growingsolutions.com/en-gb/agriculture/products/fe/>
: 16/05/2024

ICL Growing Solutions marketing.ukire@icl-group.com

