





Max 42-0-0

Max out the nitrogen for Max-ed out growth

42	$ $ \bigcirc	0	
Ν	Р	К	

Description

Treat your potato, fruit, and open field vegetable crops to a pure nitrogen hit with Agrocote® Max 42-0-0 | 5-6M. By using this product, designed especially for light soil-grown crop application in both tropical and sub-tropical environments, you will be providing your plants with a high-quality source of ureabased nitrogen. Thanks to ICL's patented E-Max Release Technology, the nitrogen is released over predefined 5-6 month period, meaning you can take care of your crops for their entire crop cycle.

Guaranteed analysis

Elemental

Ν	Total Nitrogen Urea nitrogen (N-Urea)	42% 42%
Ρ	Phosphorus	0%
К	Potassium	0%

Benefits

\chi Better nitrogen use efficiency than conventional nitrogen fertilizers

🐧 Just one base fertilizer application required

እ Reduces nutrient loss through volatilization, leaching, and denitrification

Application rates	
Crops	Rates
Potato	150-400 kg/ha
Fruits and open field vegetables	150-400 kg/ha
	3.

Suitable for short-medium crop cycles in sub-tropical and tropical areas. Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

How to use

- 1 Apply by row application or broadcasting.
- 2 Do not apply more than 1-2 weeks prior to planting.
- Incorporate into the soil at a depth of between 5-10 cm.
- 4 Place the product under drippers where applicable.
- 5 Improve product and plant performance by irrigating after planting/seeding.
- 6 Reduce the dosage if WSFs are used in the second part of the crop cycle.
- 7 Store under dry conditions.
- 8 Properly seal partly used or damaged bags.

Attention

Please contact your ICL Technical Area Sales Manager for more detailed advice.

https://icl-growingsolutions.com/en-ie/agriculture/products/agrocote-max-42-0-0/ : 17/05/2024

ICL Growing Solutions marketing.ukire@icl-group.com

AICL