



9-20-8+3MgO+0.1B Stronger roots and uniform growth

9 + 8.7 + 6.6 + 1.8 N P K Mg







## **Guaranteed analysis**

Elemental		
N	Total Nitrogen	9%
	Nitrate nitrogen (N-NO3)	2.7%
	Ammoniacal nitrogen (N-NH4)	6.3%
Р	Phosphorus	8.7%
	Water soluble (P)	6.5%
K	Potassium	6.6%
	Water soluble (K)	6.6%
Mg	Magnesium	1.8%
В	Boron	0.10%
	Water soluble (B)	0.10%

### **Description**

Help your forestry and orchard crops branch out with Agroblen® 9-20-8+3MgO+0.1B | 8-9M. This high-phosphorus fully coated NPK fertiliser is enriched with boron and magnesium, providing your plants with uniform growth and stronger roots. Designed specifically for planting application, this product is a perfect solution for establishing forestry, such as conifers or Eucalyptus, and orchard crops. Enjoy controlled, sustained, and reliable nutrition thanks to ICL's state of the art Resin Release Technology, providing high-quality nutrients over a guaranteed 8-9 month period, at average soil temperature of 21C.

#### **Benefits**

NPK ratio suited to forestry and orchard crops

\(\) High phosphorus ideal for establishing new plantations

\(\) Can be applied in planting holes just before planting

Environmentally friendly due to minimised nutrient losses



#### How to use

- Apply via planting hole method.
- 2 You can also use row, spots, or broadcasting application methods.
- 3 Do not apply more than 1-2 weeks before planting.
- Incorporate into the soil at a depth of between 5-10 cm.
- 5 Place the product under drippers where applicable.
- 6 Improve product and plant performance by irrigating after application.
- 7 Reduce the applied dosage if WSFs are used in the second part of the crop cycle.
- 8 Store under dry conditions.
- 9 Properly seal partly used or damaged bags.
- 10 If you need more information, please contact your technical support.



# **Application rates**

Crops:	Rate		
New Plantations			
Forestry: eucalyptus	50-75 g/plant		
Forestry: picea spp.	20-30 g/plant		
Orchards	75-100 g/plant		
Avocado			
Plants grown in 3-liter pots	50 g/plant		
Plants grown in 6-liter pots	100 g/plant		
Other suitable crops			
Vineyards and soft fruits (blackberries, raspberries, currants)	10-20 g/plant		

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

#### **Attention**

Please contact your ICL Technical Area Sales Manager for more detailed advice.

