



### 12-14M

Safe and consistent release for long-lasting plants all year

15	3,9	9,1 - Т	E
N	P	к	
12-14	<b>Brd</b> Generation		

# **Guaranteed analysis**

Elemer	ntal	
N	Total Nitrogen	15%
	Nitrate nitrogen (N-NO3)	6.6%
	Ammoniacal nitrogen (N-NH4)	8.4%
Р	Phosphorus	3.9%
	Water soluble (P)	2.9%
К	Potassium	9.1%
	Water soluble (K)	9.1%
Mg	Magnesium	1.2%
	Water soluble (Mg)	0.8%
В	Boron	0.02%
	Water soluble (B)	0.02%
Cu	Copper	0.050%
	Water soluble (Cu)	0.031%
Fe	Iron	0.45%
	Iron EDTA (Fe)	0.09%
Mn	Manganese	0.06%
Мо	Molybdenum	0.020%
	Water soluble (Mo)	0.014%
Zn	Zinc	0.015%

# Description

Give your plants' the long life they deserve with Osmocote® Exact Standard 12-14M. Safety, consistency, and a patterned release... you get it all. Ideal for fast-growing conifers and evergreens. The handy colour-coded granules make sure you don't mix up applications for different longevities.

## **Benefits**

- Nealthy, nutrified plants all year
- Controlled release and high level of all essential trace elements
- 👠 Consistent: each bag gives identical results
- Tailored release pattern: exactly suited to your crop's requirements for optimal growth



#### How to use

3

4

- The temperature affects Osmocote® Exact Standard longevity, determined at 21°C. 16°C: 15-17M 21°C: 12-14M 26°C: 9-11M.
- 2 Close partly used or damaged bags securely.

Store under dry conditions.

If you need more information, please contact your technical support.

## **Application rates**

	Light feeding	Normal feeding	Heavy feeding
Container nursery stock	3-4 g/l	4-5 g/l	5-6 g/l

\*\*Recommended application rates for Osmocote® Exact Standard granules in g/I\*\* How to calculate the granules per pot or container at the application rates above: - Granule application - 3-liter pot volume - 5 g/l Osmocote® Exact Standard Total = 15 g/pot For CNS autumn pottings, we advise you to apply 2-3 g/l in autumn followed by 2-3 g/l of Osmocote® Exact Standard 8-9M in spring. Attention The recommended rates above are based on unfertilized substrates. These are general recommendations. Adjust for specific situations, such as use in tunnels or greenhouses, autumn or winter pottings, or specific climate conditions. Contact your ICL Specialty Fertilizers advisor for more detailed advice. Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL Specialty Fertilizers cannot be held responsible for any adverse results.

#### Attention

Please contact your ICL Technical Area Sales Manager for more detailed advice.

