



3-4M

Easy, accurate and reliable dosing over 3 to 4 months for small plant pots

15 _| 3.9 _| 9.1 _| TE



Description

Osmocote® Exact Mini 3-4 M contains finer granules, ideal for application in pots with small volumes. It's easy to apply through mixing or topdressing after the roots have developed. Specially developed for small substrate volumes from 20 ml, making it perfect for pots smaller than 8 cm in diameter, such as plugs and trays with small compartments. 100% coated & 100% safe for plants. Get maximum results with Osmocote® Exact Mini 3-4 M.

Guaranteed analysis

Elemental

N	Total Nitrogen Nitrate nitrogen (N-NO ₃) Ammoniacal nitrogen (N-NH ₄)	15% 6.6% 8.4%
Р	Phosphorus Water soluble (P)	3.9% 2.9%

К	Potassium Water soluble (K)	9.1% 9.1%
Mg	Magnesium Water soluble (Mg)	1.2% 0.8%
В	Boron Water soluble (B)	0.02% 0.02%
Cu	Copper Water soluble (Cu)	0.050% 0.031%
Fe	Iron Iron EDTA (Fe)	0.45% 0.09%
Mn	Manganese	0.06%
Мо	Molybdenum Water soluble (Mo)	0.020% 0.014%
Zn	Zinc	0.015%

Benefits

- ★ Complete package of trace elements and magnesium
- Uniform plant growth thanks to excellent granule distribution
 ■
- ♦ All nutrients in every granule

Application rates

Bedding plants	1.5-2 g/l	40-60 g/m ²
Vegetable young plants	2-3 g/l	50-70 g/m²
Fast-growing cuttings	1.5-2 g/l	30-50 g/m²
Mini pot plants	1.5-2.5 g/l	30-50 g/m²
Forestry cuttings	1-2 g/l	30-50 g/m²
Forestry seedlings of species germinating within 2 months	1-2 g/l	30-50 g/m²
Nursery stock cuttings	1-2 g/l	30-50 g/m²

^{**}Recommended application rates for Osmocote® Exact Mini granules in g/I** Attention The recommended rates above are based on unfertilized substrates. Adjust the pH level according to crop requirements. These are general recommendations. Adjust for specific situations, such as use in tunnels or greenhouses, or specific climate conditions. Not recommended for dibbling and/or autumn/winter pottings. Contact your ICL Specialty Fertilizers advisor for more detailed advice. Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL Specialty Fertilizers cannot be held responsible for any adverse results.

How to use

- The temperature affects Osmocote® Exact Mini longevity, determined at 21°C. 16°C: 4-5M 21°C: 3-4M 26°C: 2-3M.
- 2 Close partly used or damaged bags securely.
- 3 Store under dry conditions.
- 4 If you need more information, please contact your technical support.

Attention

Please contact your ICL Technical Area Sales Manager for more detailed advice.

https://icl-growingsolutions.com/en-ie/ornamental-horticulture/products/osmocote-exact-mini-3-4m/: 12/05/2024

ICL Growing Solutions marketing.ukire@icl-group.com

