



**FertiFlow™**

## Banana-I

Early-stage Potassium Fertilizer for Banana Crops

5 | 25 | 34 | 3  
N P<sub>2</sub>O<sub>5</sub> K<sub>2</sub>O MgO



## Guaranteed analysis

| oxide                         |  |     |
|-------------------------------|--|-----|
| N                             | Total Nitrogen                                 | 5%  |
|                               | Nitrate nitrogen (N-NO <sub>3</sub> )          | 5%  |
|                               | Ammoniacal nitrogen (N-NH <sub>4</sub> )       | 0%  |
|                               | Urea nitrogen (N-Urea)                         | 0%  |
|                               | Organic nitrogen                               | 0%  |
| P <sub>2</sub> O <sub>5</sub> | Phosphorus Pentoxide                           | 25% |
|                               | Water soluble (P <sub>2</sub> O <sub>5</sub> ) | 25% |
| K <sub>2</sub> O              | Potassium Oxide                                | 34% |
|                               | Water Soluble (K <sub>2</sub> O)               | 34% |
| MgO                           | Magnesium Oxide                                | 3%  |
|                               | Water soluble (MgO)                            | 0%  |

## Description

Fertiflow Banana-I is an essential mix for safeguarding the early stages of banana plantations. It has added Magnesium and Sulphur which improves the absorption efficiency of other essential plant nutrients. It provides the plantation with a steady supply of potash for use during the current crop cycle of banana production in addition to storage in soil for next year's plantation. Also, a lower Nitrogen to Potassium ratio in the formulation helps reduce flower and fruit drying and dropping in the later stages.

## Benefits

- \\ Fertilizer for Banana and Crops requiring Phosphorus and Potassium at initial growth stages
- \\ Better establishment and growth
- \\ Stronger pseudo stem of Banana

## How to use

- 1 Apply directly to acidic soils with low pH, and/or tropical and subtropical soils.
- 2 Apply especially to fertigated crops
- 3 Store under dry conditions. Properly seal partly used or damaged bags

## Application rates

### Use as per guidelines

|                 |           |
|-----------------|-----------|
| Minimum Average | 15kg/acre |
| Maximum Average | 25kg/acre |

It is advised to adjust the application rates beyond the suggested limit as per the crop’s status and nutrient requirement. It is recommended to undertake a trial on a small scale before changing the application rate or any other variables, as circumstances can differ. As the recommended application rate might be beyond our control, hence, ICL cannot be held responsible for any adverse results.

## Attention

Contact your ICL advisor for more detailed advice. Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

ICL Growing Solutions 1800-210-3031 (Toll free)

