



Tomato 6-18-37+2MgO+ME

High PK and microelements for bigger, sweeter tomatoes

6 | 18.0 | 37.0 | 2.0 | TE
N P₂O₅ K₂O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	6%
	Nitrate nitrogen (N-NO ₃)	6.0%
P ₂ O ₅	Phosphorus Pentoxide	18.0%
	Water soluble (P ₂ O ₅)	18.0%
K ₂ O	Potassium Oxide	37.0%
	Water Soluble (K ₂ O)	37.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	2.0%
B	Boron	0.02%
	Water soluble (B)	0.02%
Cu	Copper	0.005%
	Water soluble (Cu)	0.005%
	Copper EDTA (Cu)	0.005%
Fe	Iron	0.08%
	Water soluble (Fe)	0.08%
	Iron EDTA (Fe)	0.08%
Mn	Manganese	0.04%
	Water soluble (Mn)	0.04%
	Manganese EDTA (Mn)	0.04%
Mo	Molybdenum	0.005%
	Water soluble (Mo)	0.005%
Zn	Zinc	0.02%
	Water soluble (Zn)	0.02%
	Zinc EDTA (Zn)	0.02%

Description

Nutrivant Tomato 6-18-37+2MgO+ME is a fully soluble high PK foliar formulation enriched with microelements designed to precisely meet the needs of tomato crops. Utilizing Fertivant technology for an advanced and persistent delivery system guarantees a homogenous distribution of microdrops across the leaves, enhances the permeability of the cuticle to active substances, and securely fixes the active ingredients to the leaf surface to delay evaporation. Apply Nutrivant Tomato 6-18-37+2MgO+ME at the developing and ripening stages to increase fruit size and sugar content.

Benefits

- \\ Dependability
- \\ Chloride-free, high safety
- \\ Enriched with microelements
- \\ Fully soluble
- \\ Contains surfactant
- \\ Special analyses: High PK formula
- \\ Made with clean materials
- \\ Contains magnesium and boron
- \\ ICL's tight control of ingredients and manufacturing ensures consistent high quality

How to use

We recommend Nutrivant Tomato 6-18-37+2MgO+ME is sprayed at the developing and ripening stages to increase tomato fruit size and sugar content.

Application rates

Spray 1.0%-2% at 500-1,000 L/ha in the early morning or in the afternoon.

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.