



Combifert®

8-8-11+4CaO+2.2MgO+32SO₃+2.3Fe

A plant's wish list, all in one

8 | 8 | 11 | 4 | 2.2 | 32 | TE
N P₂O₅ K₂O CaO MgO SO₃

Guaranteed analysis

Oxide		
N	Total Nitrogen	8%
	Ammoniacal nitrogen (N-NH ₄)	8%
P ₂ O ₅	Phosphorus Pentoxide	8%
	Water soluble (P ₂ O ₅)	5.5%
K ₂ O	Potassium Oxide	11%
	Water Soluble (K ₂ O)	11%
CaO	Calcium Oxide	4%
	Water soluble (CaO)	4%
MgO	Magnesium Oxide	2.2%
	Water soluble (MgO)	2.2%
SO ₃	Sulphur trioxide	32%
	Water soluble (SO ₃)	32%
Fe	Iron	2.3%

Description

With Combifert® 8-8-11+4CaO+2.2MgO+32SO₃+2.3Fe, you'll have a good even mix of NPK helping your vegetables, fruits or arable crops grow healthily, and you'll also benefit from plenty of macronutrients. It has a whopping 32% water-soluble sulfur to boost chlorophyll development and protein synthesis. Also contains calcium, magnesium, boron, and iron, so your plants will have improved metabolism and be able to photosynthesize more effectively: it's just what they'll need for healthy crop development.

Benefits

- \\ Balanced NPK with a high sulfur content, plus calcium, magnesium, and iron
- \\ Easy to apply
- \\ Tailor-made for more efficient nutrition

How to use

- 1 Apply evenly to the surface of the soil, close to the root system, and then scratch into the soil. Alternatively, localize the application and bury the granules in rows close to the root system.
- 2 Store under dry conditions.
- 3 Properly seal partly used or damaged bags.
- 4 If you need more information, please contact your technical support.

Application rates

The average recommended application rate is 300 to 700 kg of fertilizer per hectare, depending on the type of crop and expected yield.

Trail first on a small scale before changing the rate, or any other variables, As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.
