

14-20-5+2MgO+TE

New heights for new plantations

14 20 5 2 TE N P205 K20 MgO







Guaranteed analysis

Oxide	!	
N	Total Nitrogen	14%
	Nitrate nitrogen (N-NO3)	4.6%
	Ammoniacal nitrogen (N-NH4)	9.4%
P2O5	Phosphorus Pentoxide	20%
	Water soluble (P2O5)	15%
K20	Potassium Oxide	5%
	Water Soluble (K2O)	5%
MgO	Magnesium Oxide	2%
	Water soluble (MgO)	0.6%
Fe	Iron	0.05%
	Water soluble (Fe)	0.01%
	Iron EDTA (Fe)	0.01%
Мо	Molybdenum	0.002%
	Water soluble (Mo)	0.002%
Zn	Zinc	0.002%
	Water soluble (Zn)	0.002%

Description

Help your young forestry, vineyard, and orchard plantations reach new heights with Agroblen® Tablet 14-20-5+2MgO+TE | 5-6M. This fully coated NPK fertilizer consists of a high-nitrogen and high-phosphorus NPK ratio with added magnesium and trace elements. This provides your plants with strong rooting and balanced vegetative growth, all from one simple, environmentally friendly application. Ensure a controlled, sustained, and reliable nutrient uptake thanks to ICL's patented Resin Release Technology.

Benefits

Fully coated NPK fertilizer, perfect for planting hole application

High nitrogen and phosphorus to boost new plantations

Added magnesium for optimized photosynthesis



How to use

- Use Agroblen® Tablet for open field plantations in vineyards, forestry, and orchards, especially new plantations.
- 2 It provides an easy way to supply nutrients in a right dosage.
- You can safely use it close to the root zone, beside or in the planting holes thanks to its 100% coated NPK.
- 4 If you need more information, please contact your technical support.

Application rates

Forestry – Eucalyptus	5 tablets/plant
Forestry – seedlings (e.g. Pinus, Picea)	2-3 tablets/plant
Orchards – new plantations (e.g. Kiwifruit)	2-6 tablets/plant
Vineyards and soft fruits – new plantations	1-2 tablets/plant

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

