



**Agrocote[®]
Max**

Max 0-0-58

Wake crops up with their potassium fix

0 | 0 | 58
N P₂O₅ K₂O



Guaranteed analysis

Oxide		
N	Total Nitrogen	0%
P ₂ O ₅	Phosphorus Pentoxide	0%
K ₂ O	Potassium Oxide	58%
	Water Soluble (K ₂ O)	58%

Description

To get your tropical coffee and banana crops buzzing with energetic growth, try using Agrocote[®] Max 0-0-58 | 5-6M. Designed with the aim of preventing potassium leaching in light tropical soils, this MOP-based product combines high-quality raw potassium with ICL's state of the art E-Max coating technology for controlled nutrient release. Apply just once for guaranteed reliable results over a pre-defined 5-6 month period.

Benefits

- \\ Ideal for reducing nutrient runoff
- \\ Fully coated potassium prevents light soil leaching
- \\ Excellent for potassium-thirsty crops

How to use

- 1 Apply by side-dressing.
- 2 Do not apply more than 1-2 weeks prior to planting.
- 3 Incorporate into the soil at a depth between 5-10 cm.
- 4 Place the product under drippers or sprinklers where applicable.
- 5 Improve product and plant performance by irrigating after planting/seeding.
- 6 Reduce the dosage if WSFs are used in the second part of the crop cycle.
- 7 Store under dry conditions.
- 8 Properly seal partly used or damaged bags.
- 9 If you need more information, please contact your technical support.

Application rates

Crops:	Kg/ha:
Coffee:	150-250 kg/ha
Fruit trees:	150-250 kg/ha
Palm oil:	200-300 kg/ha
Banana:	300-500 kg/ha

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.