



Max 0-43-0

Phosphorus to the Max

0 + 43 + 0 N P205 K20







Guaranteed analysis

Oxide		
N	Total Nitrogen	0%
P2O5	Phosphorus Pentoxide	43%
	Water soluble (P2O5)	38.7%
K20	Potassium Oxide	0%

Description

Treat your crops to an all-out phosphorus kick with Agrocote® Max 0-43-0 | 1-2M, your ideal starter fertilizer for phosphorus-fixing soils. Thanks to its nitrogen-free formula, you can easily regulate the level of nitrogen available to your plants. With ICL's patented E-Max Release Technology, you can guarantee 1-2 months of sustained, controlled growth. This combination of high-quality raw materials and a state of the art controlled-release coating means you can count on this product for reliable and consistent growth.

Benefits

ldeal starter fertilizer with high phosphorus content

Nitrogen-free to easily abide by local application regulations

Coating prevents phosphorus fixation in high or low pH conditions



How to use

- 1 Apply in ultra-localized row application, spots, or beds.
- 2 Do not apply more than 1-2 weeks prior to planting.
- Incorporate into the soil at a depth of between 5-10 cm.
- 4 Place the product under drippers where applicable.
- Improve product and plant performance by irrigating after planting/seeding.
- 6 Reduce the dosage if WSFs are used in the second part of the crop cycle.
- 7 Store under dry conditions.
- Properly seal partly used or damaged bags.
- 9 If you need more information, please contact your technical support.

Application rates

Recommended rate: 100-250 kg/ha

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

