



**Agrocote®  
Max**

**Max 42-0-0**

Max out the nitrogen for Max-ed out growth

42 | 0 | 0  
N P<sub>2</sub>O<sub>5</sub> K<sub>2</sub>O



## Guaranteed analysis

Oxide		
N	Total Nitrogen	42%
	Urea nitrogen (N-Urea)	42.0%
P <sub>2</sub> O <sub>5</sub>	Phosphorus Pentoxide	0%
K <sub>2</sub> O	Potassium Oxide	0%

## Description

Treat your potato, fruit, and open field vegetable crops to a pure nitrogen hit with Agrocote® Max 42-0-0 | 5-6M. By using this product, designed especially for light soil-grown crop application in both tropical and sub-tropical environments, you will be providing your plants with a high-quality source of urea-based nitrogen. Thanks to ICL's patented E-Max Release Technology, the nitrogen is released over pre-defined 5-6 month period, meaning you can take care of your crops for their entire crop cycle.

## Benefits

- \\ Better nitrogen use efficiency than conventional nitrogen fertilizers
- \\ Just one base fertilizer application required
- \\ Reduces nutrient loss through volatilization, leaching, and denitrification

## How to use

- 1 Apply by row application or broadcasting.
- 2 Do not apply more than 1-2 weeks prior to planting.
- 3 Incorporate into the soil at a depth of between 5-10 cm.
- 4 Place the product under drippers where applicable.
- 5 Improve product and plant performance by irrigating after planting/seeding.
- 6 Reduce the dosage if WSFs are used in the second part of the crop cycle.
- 7 Store under dry conditions.
- 8 Properly seal partly used or damaged bags.
- 9 If you need more information, please contact your technical support.

## Application rates

Crops	Rates
Potato	150-400 kg/ha
Fruits and open field vegetables	150-400 kg/ha

Suitable for short-medium crop cycles in sub-tropical and tropical areas. Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

## Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.