



## Solinure® FX

30-10-10+2MgO+TE

The perfect Fix for your starter crops

30 | 10 | 10 | 2.0 | TE  
N P<sub>2</sub>O<sub>5</sub> K<sub>2</sub>O MgO



### Guaranteed analysis

Oxide		
N	Total Nitrogen	30%
	Urea nitrogen (N-Urea)	30.0%
P <sub>2</sub> O <sub>5</sub>	Phosphorus Pentoxide	10%
	Water soluble (P <sub>2</sub> O <sub>5</sub> )	10.0%
K <sub>2</sub> O	Potassium Oxide	10%
	Water Soluble (K <sub>2</sub> O)	10.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	2.0%
B	Boron	0.01%
	Water soluble (B)	0.01%
Cu	Copper	0.002%
	Water soluble (Cu)	0.002%
	Copper EDTA (Cu)	0.002%
Fe	Iron	0.04%
	Water soluble (Fe)	0.04%
	Iron EDTA (Fe)	0.04%
Mn	Manganese	0.01%
	Water soluble (Mn)	0.01%
	Manganese EDTA (Mn)	0.01%
Mo	Molybdenum	0.002%
	Water soluble (Mo)	0.002%
Zn	Zinc	0.002%
	Water soluble (Zn)	0.002%
	Zinc EDTA (Zn)	0.002%

### Description

Solinure FX 30-10-10+2MgO+TE is our line of great value products developed for open field application. The product contain chloride and urea, and are acidifying which keeps drip lines clean.

### Benefits

- \\ Dependability
- \\ High N formula
- \\ Added magnesium: prevents magnesium deficiencies
- \\ Clean materials: made with low impurity ingredients
- \\ With microelements: contains molybdenum, boron and chelated microelements
- \\ ICL quality: tight control of ingredients, manufacturing, and consistency

## How to use

- 1 Use Solinure® FX 30-10-10+2MgO+TE for the vegetative growth phase.
- 2 Store under dry conditions.
- 3 Properly seal partly used or damaged bags.
- 4 The availability of all nutrients in the correct proportions
- 5 For specific advice and recommendations, contact ICL or your professional advisor.

## Application rates

---

Recommended rate: Apply 7-12 kg/1000 m2 per week

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

## Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

---