

Solinure® FX

18-18-18+2MgO

The convenience of solving water quality problems with one product

18 | 18 | 18 | 2,0 | TE N P205 K20 Mg0





Guaranteed analysis

Oxide	2	
N	Total Nitrogen	18%
	Ammoniacal nitrogen (N-NH4)	3.1%
	Urea nitrogen (N-Urea)	14.9%
P205	Phosphorus Pentoxide	18%
	Water soluble (P2O5)	18.0%
K20	Potassium Oxide	18%
	Water Soluble (K2O)	18.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	2.0%
В	Boron	0.01%
	Water soluble (B)	0.01%
Cu	Copper	0.002%
	Water soluble (Cu)	0.002%
	Copper EDTA (Cu)	0.002%
Fe	Iron	0.04%
	Water soluble (Fe)	0.04%
	Iron EDTA (Fe)	0.04%
Mn	Manganese	0.01%
	Water soluble (Mn)	0.01%
	Manganese EDTA (Mn)	0.01%
Mo	Molybdenum	0.002%
	Water soluble (Mo)	0.002%
Zn	Zinc	0.002%
	Water soluble (Zn)	0.002%
	Zinc EDTA (Zn)	0.002%

Description

Drip irrigation is a useful practice to enhance water and nutrient use efficiency. The use of drip irrigation significantly reduces nitrous oxide (N2O) emissions compared to furrow and sprinkler irrigation systems.

Benefits

- Dependability
- **\(\)** Environmental sustainability
- Value for money: the FS line delivers all the necessary components without extra cost
- Balanced nutrition: prevents nitrogen, phosphorus, and potassium deficiencies
- ICL quality: tight control of ingredients, manufacturing, and consistency



How to use

- Use Solinure® FX 18-18-18+2MgO for the vegetative growth phase.
- 2 Store under dry conditions.
- 3 Properly seal partly used or damaged bags.
- The availability of all nutrients in the correct proportions.
- 5 For specific advice and recommendations, contact ICL or your professional advisor.

Application rates

Recommended rate: Apply 4-5 kg/1000 m2 per week

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

