



## Greenmaster® Liquid

Spring & Summer

Perfect ratio of nutrients for growth

14 | 5 | 7 | TE  
N P2O5 K2O



### Guaranteed analysis

Oxide		
N	Total Nitrogen	14%
	Nitrate nitrogen (N-NO3)	0.9%
	Urea nitrogen (N-Urea)	13.1%
P2O5	Phosphorus Pentoxide	5%
	Water soluble (P2O5)	5%
K2O	Potassium Oxide	7%
	Water Soluble (K2O)	5.7%
B	Boron	0.012%
	Water soluble (B)	0.012%
Cu	Copper	0.006%
	Water soluble (Cu)	0.006%
	Copper EDTA (Cu)	0.006%
Mn	Manganese	0.012%
	Water soluble (Mn)	0.012%
	Manganese EDTA (Mn)	0.012%
Mo	Molybdenum	0.004%
	Water soluble (Mo)	0.004%
Zn	Zinc	0.006%
	Water soluble (Zn)	0.006%
	Zinc EDTA (Zn)	0.006%

### Description

Ideal for main growing periods, Greenmaster® Liquid Spring & Summer has a complete NPK formula for feeding without excess growth for up to 6 weeks after application. Spring & Summer also tops up nutrients lost in grass cuttings, bringing out your turf's color and keeping it healthy. A full trace element package maintains overall turf health and helps overcome stress.

### Benefits

- \\ For main growth season feeding without excess growth
- \\ Replenishes nutrients and improves stress recovery

## How to use

- 1 Apply from March to September, or through growing season.
- 2 Avoid applying in high temperatures and sunny conditions to optimize foliar uptake. Avoid applying during frosty conditions or drought.
- 3 Greenmaster® Liquid products can be tank-mixed with other ICL products, check tank mix table for compatibility.
- 4 Mix with Colour Pro spray pattern indicator to assist spraying and minimize spray drift
- 5 The water volume used to apply Greenmaster® Liquid products will affect how nutrients are taken up by the plant.
- 6 Mix with TurfMark® Extra spray pattern indicator to assist spraying, condition water, and minimize spray drift.
- 7 If you need more information, please contact your technical support.

## Recommended period of use

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NNOV	DEC

## Application rates

Recommended rate:	Average recommended rate:
20-100L/ha (40)	80 L/ha

Trial first on a small scale before changing the rate, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

## Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.