



Nova[®] Complex Optima

15-10-15+37SO₃+TE

Give your fertigated crop an all-round balanced nutrient boost

15 | 10 | 15 | 37 | TE
N | P₂O₅ | K₂O | SO₃



Guaranteed analysis

Oxide		
N	Total Nitrogen	15%
	Nitrate nitrogen (N-NO ₃)	2.2%
	Ammoniacal nitrogen (N-NH ₄)	12.8%
P ₂ O ₅	Phosphorus Pentoxide	10%
	Water soluble (P ₂ O ₅)	10%
K ₂ O	Potassium Oxide	15%
	Water Soluble (K ₂ O)	15%
SO ₃	Sulphur trioxide	37%
	Water soluble (SO ₃)	37%
Fe	Iron	0.02%
	Water soluble (Fe)	0.02%
	Iron EDTA (Fe)	0.02%
Mn	Manganese	0.01%
	Water soluble (Mn)	0.01%
	Manganese EDTA (Mn)	0.01%
Zn	Zinc	0.005%
	Water soluble (Zn)	0.005%
	Zinc EDTA (Zn)	0.005%

Characteristics

Description

Sometimes it's better to avoid complexity and just keep things simple. So when your fertigated crops need that all-round balanced nutrient boost, simply choose Nova[®] Complex Optima 15-10-15+37SO₃+TE fertilizer. This water-soluble, reduced-phosphorus balanced NPK formula contains high levels of added sulfur, thereby covering every base of your crops' nutritional needs. Thanks to its DMPP formulation, say goodbye to nitrogen soil deficiencies and leaching. With its added manganese, zinc, and iron chelated trace element package, your plants are sure to experience all-round, balanced healthy growth.

Benefits

- \\ Reduces soil nitrogen leaching
- \\ Made from high-quality materials
- \\ Completely chloride-free

How to use

- 1 Apply especially to fertigated crops. For more recommendations and information, contact your nearest ICL distributor or your area's local ICL advisor.
- 2 Store under dry conditions. Properly seal partly used or damaged bags.

Application rates

Recommended concentration for 1000 liters of field stock solution: 100-150 kg per 1000 liters of water. Dose your irrigation water with this solution, adjusting according to your crops' conductivity or ratio requirements. Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.