



Nova Complex Optima

18-6-6+46SO₃+2MgO+TE

Give your nitrogen-craving fertigated crops a perfect nutrient boost

18 | 6 | 6 | 2 | 46 | TE
N P₂O₅ K₂O MgO SO₃



Guaranteed analysis

Oxide		
N	Total Nitrogen	18%
	Nitrate nitrogen (N-NO ₃)	1.8%
	Ammoniacal nitrogen (N-NH ₄)	16.2%
P ₂ O ₅	Phosphorus Pentoxide	6%
	Water soluble (P ₂ O ₅)	6%
K ₂ O	Potassium Oxide	6%
	Water Soluble (K ₂ O)	6%
MgO	Magnesium Oxide	2%
	Water soluble (MgO)	2.0%
SO ₃	Sulphur trioxide	46%
	Water soluble (SO ₃)	46%
Fe	Iron	0.02%
	Water soluble (Fe)	0.02%
	Iron EDTA (Fe)	0.02%
Mn	Manganese	0.01%
	Water soluble (Mn)	0.01%
	Manganese EDTA (Mn)	0.01%
Zn	Zinc	0.005%
	Water soluble (Zn)	0.005%
	Zinc EDTA (Zn)	0.005%

Characteristics

Description

Treat your nitrogen-craving fertigated crops to a perfect nutrient boost with Nova® Complex Optima 18-6-6+46SO₃+2MgO+TE fertilizer. This water-soluble fertilizer has been formulated with DMPP, ensuring that your crops receive a constant supply of nitrogen, which is prevented from leaching into the soil. The NPK formula comprises a high level of nitrogen, along with added magnesium and an abundance of sulfur. Combined with a full trace element package containing iron, zinc, and manganese, this is your ideal solution for covering your plants' every nutritional need.

Benefits

- Increased nitrogen NPK formula
- Improved crop nutrient uptake efficiency
- Made using high-quality raw materials

How to use

- 1 Apply especially to fertigated crops. For more recommendations and information, contact your nearest ICL distributor or your area's local ICL advisor.
- 2 Store under dry conditions. Properly seal partly used or damaged bags.

Application rates

Recommended concentration for 1000 liters of field stock solution: 100-150 kg per 1000 liters of water. Dose your irrigation water with this solution, adjusting according to your crops' conductivity or ratio requirements. Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.