



Nova Complex Optima

21-5-5+15CaO

Added calcium for stronger plant structures

21 | 5 | 5 | 15 | TE
N P2O5 K2O CaO



Guaranteed analysis

| Oxide | | |
|-------|--|--------|
| N | Total Nitrogen | 21% |
| | Nitrate nitrogen (N-NO ₃) | 9.7% |
| | Ammoniacal nitrogen (N-NH ₄) | 1.6% |
| | Urea nitrogen (N-Urea) | 9.7% |
| P2O5 | Phosphorus Pentoxide | 5% |
| | Water soluble (P2O5) | 5% |
| K2O | Potassium Oxide | 5% |
| | Water Soluble (K2O) | 5% |
| CaO | Calcium Oxide | 15% |
| | Water soluble (CaO) | 15% |
| Fe | Iron | 0.02% |
| | Water soluble (Fe) | 0.02% |
| | Iron EDTA (Fe) | 0.02% |
| Mn | Manganese | 0.01% |
| | Water soluble (Mn) | 0.01% |
| | Manganese EDTA (Mn) | 0.01% |
| Zn | Zinc | 0.005% |
| | Water soluble (Zn) | 0.005% |
| | Zinc EDTA (Zn) | 0.005% |

Description

No matter the weather, be sure to harden your fertigated crops so they can push through any conditions with Nova® Complex Optima 21-5-5+15CaO fertilizer. With a high-nitrogen NPK ratio, this water-soluble fertilizer is reinforced with added calcium, which in turn reinforces your plants on a cellular level. Thanks to this fertilizer's DMPP formulation, you have peace of mind that the nitrogen you are feeding the soil will be safe from leaching, allowing your plants to soak it all up without interruption.

Benefits

- Added calcium for stronger plant structures
- High-nitrogen NPK formula
- DMPP formulation for improved nitrogen uptake

Characteristics

How to use

- 1 Apply especially to fertigated crops. For more recommendations and information, contact your nearest ICL distributor or your area's local ICL advisor.
- 2 Store under dry conditions. Properly seal partly used or damaged bags.

Application rates

Recommended concentration for 1000 liters of field stock solution: 100-150 kg per 1000 liters of water. Dose your irrigation water with this solution, adjusting according to your crops' conductivity or ratio requirements. Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.