



Combifert®

Pomegranate

Juicy and delicious pomegranates start with the right fertilizer

20 | 5 | 8 | 2 | 2 | 16 | TE
N P2O5 K2O CaO MgO SO3

Guaranteed analysis

Oxide		
N	Total Nitrogen	20%
	Nitrate nitrogen (N-NO3)	8.8%
	Ammoniacal nitrogen (N-NH4)	11.2%
P2O5	Phosphorus Pentoxide	5%
	Water soluble (P2O5)	3.5%
K2O	Potassium Oxide	8%
	Water Soluble (K2O)	8%
CaO	Calcium Oxide	2%
	Water soluble (CaO)	2%
MgO	Magnesium Oxide	2%
	Water soluble (MgO)	2.0%
SO3	Sulphur trioxide	16%
	Water soluble (SO3)	16%
Fe	Iron	1%

Description

Combifert® Pomegranate fertilizer has been specially developed for pomegranate trees – with a balanced formula containing 20% nitrogen, plus calcium, magnesium, and micro elements. It's also easy to apply, making your life easier. Calcium is a trace element essential for forming resilient, stable cell walls, encouraging the fruit production with better consistency that are more durable post-harvest and less likely to split. Magnesium is the powerhouse behind photosynthesis, producing the carbohydrates that your plants need.

Benefits

- \\ Tailor-made for more efficient and balanced nutrition for your pomegranate trees
- \\ Contains calcium – essential for healthy crop development
- \\ Includes magnesium – vital for photosynthesis

How to use

- 1 Apply Combifert® specialty fertilizer between rows 15 to 20 days before the start of bud-break.
- 2 To calculate the dosage, consider the nutrient content of the soil, which can be determined through a chemical analysis, as well as the nutrients that will be extracted by the crops based on their expected yield.
- 3 Trial first on a small scale before changing the rate, application, cultivation practices or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.
- 4 For more information or recommendations, please contact your ICL distributor or ICL advisor for your area.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.