



Combifert®

5-10-15+5CaO+23SO₃

Harmonious nutrition for well-balanced crops

5 | 10 | 15 | 5 | 23
N P₂O₅ K₂O CaO SO₃

Guaranteed analysis

| Oxide | | |
|-------------------------------|--|-----|
| N | Total Nitrogen | 5% |
| | Ammoniacal nitrogen (N-NH ₄) | 5% |
| P ₂ O ₅ | Phosphorus Pentoxide | 10% |
| | Water soluble (P ₂ O ₅) | 9% |
| K ₂ O | Potassium Oxide | 15% |
| | Water Soluble (K ₂ O) | 15% |
| CaO | Calcium Oxide | 5% |
| | Water soluble (CaO) | 5% |
| SO ₃ | Sulphur trioxide | 23% |
| | Water soluble (SO ₃) | 23% |

Description

Combifert® 5-10-15+5CaO+23SO₃ NPK blend ensures your vegetables, fruits, and extensive arable crops get just the right amount of nutrients they need. With less nitrogen than its sister products, it makes sure your plants don't produce too much biomass but not enough root structure. Calcium and sulfur also feature generously in this mix – nutrients your crops can't do without during their crucial stage of growth.

Benefits

- \\ A balanced blend without too much nitrogen
- \\ Easy to apply
- \\ Tailor-made for more efficient nutrition

How to use

- 1 Apply evenly to the surface of the soil, close to the root system, and then scratch into the soil.
- 2 Alternatively, localize the application and bury the granules in rows close to the root system.
- 3 Store under dry conditions.
- 4 Properly seal partly used or damaged bags.
- 5 For more information or recommendations, please contact your ICL distributor or ICL advisor for your area.

Application rates

The average recommended application rate is 300 to 700 kg of fertilizer per hectare, depending on the type of crop and expected yield.

Trail first on a small scale before changing the rate, or any other variables, As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.
