



# Combifert®

9-18-27+2.5MgO+7SO<sub>3</sub>

Please your plants with plenty of potassium

9 | 18 | 27 | 2.5 | 7  
N P<sub>2</sub>O<sub>5</sub> K<sub>2</sub>O MgO SO<sub>3</sub>

## Guaranteed analysis

Oxide		
N	Total Nitrogen	9%
	Ammoniacal nitrogen (N-NH <sub>4</sub> )	7%
	Urea nitrogen (N-Urea)	2%
P <sub>2</sub> O <sub>5</sub>	Phosphorus Pentoxide	18%
	Water soluble (P <sub>2</sub> O <sub>5</sub> )	17%
K <sub>2</sub> O	Potassium Oxide	27%
	Water Soluble (K <sub>2</sub> O)	27%
MgO	Magnesium Oxide	2.5%
	Water soluble (MgO)	2.5%
SO <sub>3</sub>	Sulphur trioxide	7%
	Water soluble (SO <sub>3</sub> )	7%

## Description

Combifert® 9-18-27+2.5MgO+7SO<sub>3</sub> is the formula with extra potassium in its NPK blend, which might be just what your plants need. It helps them use water more effectively, and resist drought better. Perfect for any vegetables, fruits, and extensive arable crops. They'll also get a helping of magnesium to help them form chlorophyll, plus sulfur for better synthesis. This easy-to-apply blend will have your crops growing in the peak of health in no time.

## Benefits

- Extra rich in potassium, plus magnesium and sulfur
- Easy to apply
- Tailor-made for more efficient nutrition

## How to use

- 1 Apply evenly to the surface of the soil, close to the root system, and then scratch into the soil.
- 2 Alternatively, localize the application and bury the granules in rows close to the root system.
- 3 Store under dry conditions.
- 4 Properly seal partly used or damaged bags.
- 5 For more information or recommendations, please contact your nearest ICL distributor or the ICL advisor for your area.

## Application rates

---

The average recommended application rate is 300 to 700 kg of fertilizer per hectare, depending on the type of crop and expected yield.

Trail first on a small scale before changing the rate, or any other variables, As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

## Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

---