



Agroblen®

10-7-22+2MgO

The tropical plant starter

10 | 7 | 22 | 2.0
N P2O5 K2O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	10%
	Nitrate nitrogen (N-NO ₃)	4.3%
	Ammoniacal nitrogen (N-NH ₄)	5.7%
P2O5	Phosphorus Pentoxide	7%
	Water soluble (P2O5)	5.2%
K2O	Potassium Oxide	22%
	Water Soluble (K2O)	22.0%
MgO	Magnesium Oxide	2.0%

Description

Agroblen® 10-7-22+2MgO | 16-18M, this fully coated NPK fertilizer is both high in potassium and rich in additional magnesium, making it your perfect solution for providing all-round uniform growth when establishing crops in light soils, usually cultivated in tropical areas. Thanks to ICL's state of the art Resin Release Technology, this high-quality nutrient package is released over a pre-defined 16-18 month period, at average soil temperature of 21C.

Benefits

- Controlled nutrient release for uniform crop growth
- Can be applied in planting holes just before planting
- Added magnesium for enhanced photosynthesis
- High K analyses – especially designed for mature plantations
- Environmentally friendly coated granules

How to use

- 1 Apply using planting hole method.
- 2 You can also use row, spots, or broadcasting application methods.
- 3 Do not apply more than 1-2 weeks before planting.
- 4 Incorporate into the soil at a depth of between 5-10 cm.
- 5 Place the product under drippers where applicable.
- 6 Improve product and plant performance by irrigating after application.
- 7 Store under dry conditions.
- 8 Properly seal partly used or damaged bags.
- 9 If you need more information, please contact your technical support.

Application rates

Crop:	Rate:
Oil Palm: Application method: planting hole (split in two holes aside the seed): Pre-nursery stage	4 g/plant
Oil Palm: Main nursery	50 g/plant
Oil Palm: First year planting	300 g/plant

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.