



# Agroblen®

9-20-8+3MgO+0.1B

Stronger rooting and uniform growth

9 | 20 | 8 | 3.0  
N P2O5 K2O MgO



## Guaranteed analysis

Oxide		
N	Total Nitrogen	9%
	Nitrate nitrogen (N-NO <sub>3</sub> )	2.7%
	Ammoniacal nitrogen (N-NH <sub>4</sub> )	6.3%
P2O5	Phosphorus Pentoxide	20%
	Water soluble (P2O5)	15.0%
K2O	Potassium Oxide	8%
	Water Soluble (K2O)	8.0%
MgO	Magnesium Oxide	3.0%
B	Boron	0.10%
	Water soluble (B)	0.10%

## Description

Help your forestry and orchard crops branch out with Agroblen® 9-20-8+3MgO+0.1B | 8-9M. This high-phosphorus fully coated NPK fertilizer is enriched with boron and magnesium, providing your plants with uniform growth and stronger rooting. Designed specifically for planting hole application, this product is your perfect solution for establishing forestry, such as conifers or Eucalyptus, and orchard crops. Enjoy controlled, sustained, and reliable nutrition thanks to ICL's state of the art Resin Release Technology, providing high-quality nutrients over a guaranteed 8-9 month period, at average soil temperature of 21C.

## Benefits

- \\ NPK ratio suited to forestry and orchard crops
- \\ High phosphorus ideal for establishing new plantations
- \\ Can be applied in planting holes just before planting
- \\ Environmentally friendly due to minimized nutrient losses

## How to use

- 1 Apply via planting hole method.
- 2 You can also use row, spots, or broadcasting application methods.
- 3 Do not apply more than 1-2 weeks before planting.
- 4 Incorporate into the soil at a depth of between 5-10 cm.
- 5 Place the product under drippers where applicable.
- 6 Improve product and plant performance by irrigating after application.
- 7 Reduce the applied dosage if WSFs are used in the second part of the crop cycle.
- 8 Store under dry conditions.
- 9 Properly seal partly used or damaged bags.
- 10 If you need more information, please contact your technical support.



## Application rates

Crops:	Rate
<b>New Plantations</b>	
Forestry: eucalyptus	50-75 g/plant
Forestry: picea spp.	20-30 g/plant
Orchards	75-100 g/plant
Avocado	
Plants grown in 3-liter pots	50 g/plant
Plants grown in 6-liter pots	100 g/plant
Other suitable crops	
Vineyards and soft fruits (blackberries, raspberries, currants)	10-20 g/plant

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

## Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.