



Peters® Professional

Plant Finisher

Give your plants that final push

9 | 10.0 | 38.0 | 3.0 | TE
N P2O5 K2O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	9%
	Nitrate nitrogen (N-NO3)	9.0%
P2O5	Phosphorus Pentoxide	10.0%
	Water soluble (P2O5)	10.0%
K2O	Potassium Oxide	38.0%
	Water Soluble (K2O)	38.0%
MgO	Magnesium Oxide	3.0%
	Water soluble (MgO)	3.0%
B	Boron	0.020%
	Water soluble (B)	0.020%
Cu	Copper	0.015%
	Water soluble (Cu)	0.015%
	Copper EDTA (Cu)	0.015%
Fe	Iron	0.250%
	Water soluble (Fe)	0.250%
	Iron DTPA (Fe)	0.250%
Mn	Manganese	0.060%
	Water soluble (Mn)	0.060%
	Manganese EDTA (Mn)	0.060%
Mo	Molybdenum	0.010%
	Water soluble (Mo)	0.010%
Zn	Zinc	0.015%
	Water soluble (Zn)	0.015%
	Zinc EDTA (Zn)	0.015%

Description

Give your plants optimum nourishment during the final stage of propagation with Peters® Professional Plant Finisher. Promote compact and controlled growth with its modified low phosphate and high potassium levels. With Peters Professional Plant Finisher's boosted iron content, you are in control of optimizing the color of your leaves. The finishing touch for maximum results.

Benefits

- Easy to dissolve, water-soluble small granules
- Made from a pure formula, free from ballast substances
- Rich in NPK, magnesium and trace elements

Characteristics

How to use

- 1 You should prepare solution 1-2 hours in advance by stirring well or applying warm water.
- 2 This will cause the product to dissolve completely before use.
- 3 Do not mix with Peters Excel.
- 4 Close partly used or damaged bags securely.
- 5 Store under dry conditions.

Application rates

Continuous feeding 0.5 – 1.5 g/liter

Occasional feeding (for example, once a week) 0.8 - 2 g/liter

Attention Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL Specialty Fertilizers cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.