

Peters Professional

Poinsettia Mix

Give your poinsettias the star treatment

17 | 7 | 27,0 | 2,0 | TE N P205 K20 MgO







Guaranteed analysis

Ovida

Oxide		
N	Total Nitrogen	17%
	Nitrate nitrogen (N-NO3)	11.9%
	Ammoniacal nitrogen (N-NH4)	5.1%
P2O5	Phosphorus Pentoxide	7%
	Water soluble (P2O5)	7.0%
K2O	Potassium Oxide	27.0%
	Water Soluble (K2O)	27%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	2.0%
В	Boron	0.010%
	Water soluble (B)	0.010%
Cu	Copper	0.009%
	Water soluble (Cu)	0.009%
	Copper EDTA (Cu)	0.009%
Fe	Iron	0.120%
	Water soluble (Fe)	0.120%
	Iron DTPA (Fe)	0.120%
Mn	Manganese	0.050%
	Water soluble (Mn)	0.050%
	Manganese EDTA (Mn)	0.050%
Мо	Molybdenum	0.068%
	Water soluble (Mo)	0.068%
Zn	Zinc	0.054%
	Water soluble (Zn)	0.054%
	Zinc EDTA (Zn)	0.054%

Description

Look after your poinsettias' every special nutritional need with the uniquely adapted Peters® Professional Poinsettia Mix. With its tailored levels of boron, zinc, and molybdenum, you will be safe in the knowledge that you are growing top-quality plants. Promote healthy root growth with its high levels of nitrate nitrogen.

Benefits

Fully water-soluble small granules

Nants respond rapidly after application

Made from a pure formulation with no added ballast substances

Characteristics



How to use

- 1 You should prepare solution 1-2 hours in advance by giving it a good stir or applying warm water.
- This means the product will completely dissolve when you come to use it.
- 3 Do not mix with Peters Excel.
- 4 Close partly used or damaged bags securely.
- 5 Store under dry conditions.
- 6 If you need more information, please contact your technical support.

Application rates

Continuous feeding 0.5 – 1.5 g/liter

Occasional feeding (for example, once a week) 0.8 - 2 g/liter

Attention Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL Specialty Fertilizers cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

