



Osmocote[®]
Exact
Tablet

Tablet 8-9M

Delivering precision nutrition with ease

14 | 8 | 11 | 2.0 | TE
N P₂O₅ K₂O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	14%
	Nitrate nitrogen (N-NO ₃)	6.2%
	Ammoniacal nitrogen (N-NH ₄)	7.8%
P ₂ O ₅	Phosphorus Pentoxide	8%
	Water soluble (P ₂ O ₅)	6.0%
K ₂ O	Potassium Oxide	11%
	Water Soluble (K ₂ O)	11.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	1.3%
B	Boron	0.01%
	Water soluble (B)	0.01%
Cu	Copper	0.046%
	Water soluble (Cu)	0.028%
Fe	Iron	0.41%
	Iron EDTA (Fe)	0.08%
Mn	Manganese	0.05%
Mo	Molybdenum	0.018%
	Water soluble (Mo)	0.012%
Zn	Zinc	0.013%

Description

Osmocote[®] Exact Tablets 8-9M deliver accurate doses of nutrients with remarkable ease. Their cone-like shape means the tablet can be pushed down easily into growing medium. The water-soluble adhesive dissolves and the tablets break apart. The tablets have a longevity of 8 to 9 months at 21°C and come in 5 g or 7.5 g.

Benefits

- Simple and safe application: each pot receives the same dosage
- High nutrient efficiency thanks to accurate dosage
- Tablets stay locked in the growing medium, so no loss of fertilizer

How to use

- 1 For application in existing cultures, push tablet down completely into the growing medium.
- 2 In hanging baskets, arrange the tablets in a circle in the growing medium around the plant.
- 3 If you're using drip irrigation, push the tablet in the growing medium directly under the dripper.
- 4 The longevity of Osmocote exact Tablet is determined at 21°C. At lower average soil temperatures, the product will work longer at higher average soil temperatures shorter. Indicational: 16°C: 5-7M, 21°C: 5-6M, 26°C: 4-5M.
- 5 Partly used bags must be closed / sealed properly.
- 6 Store under dry and cool conditions.
- 7 If you need more information, please contact your technical support.

Application rates

How to calculate the dosage per pot or container at the application rates below: – Tablet application – 3-liter pot volume – 3 x 5 g Osmocote® Exact Tablet Total = 15 g/pot

Recommended application rates for Osmocote® Exact Tablets in g/l	3-4M	5-6M	8-9M	12-14M
Container nursery stock	2-3 g/l	3-4 g/l	4-5 g/l	4-6 g/l
Azalea/Rhododendron	-	2-3 g/l	3-4 g/l	4-5 g/l
Pot plants	2-3 g/l	3-4 g/l	4-5 g/l	4-6 g/l
Hanging baskets	3-4 g/l	3-5 g/l	4-6 g/l	-

Attention The recommended rates above are based on unfertilized substrates. These are general recommendations. Adjust for specific situations, such as use in tunnels or greenhouses, autumn or winter pottings, or specific climate conditions. Contact your ICL advisor for more detailed advice. Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.