



Tablet 12-14M

Longer-lasting nutrition, delivered with precision

14 | 8 | 10 | 2,0 | TE N P205 K20 MgO











Guaranteed analysis

Ovida

Oxide		
N	Total Nitrogen	14%
	Nitrate nitrogen (N-NO3)	6.2%
	Ammoniacal nitrogen (N-NH4)	7.8%
P2O5	Phosphorus Pentoxide	8%
	Water soluble (P2O5)	6.0%
K20	Potassium Oxide	10%
	Water Soluble (K2O)	10.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	1.3%
В	Boron	0.01%
	Water soluble (B)	0.01%
Cu	Copper	0.046%
	Water soluble (Cu)	0.028%
Fe	Iron	0.41%
	Iron EDTA (Fe)	0.08%
Mn	Manganese	0.05%
Мо	Molybdenum	0.018%
	Water soluble (Mo)	0.012%
Zn	Zinc	0.013%

Description

Osmocote® Exact Tablets 12-14M ensure your plants get the nutrients for a whole year or even longer. Simply push the cone-shaped tablets into growing medium, and the tablets will dissolve after watering. The tablets have a longevity of 12 to 14 months at 21°C and come in 5 g or 7.5 g.

Benefits

- Peace of mind: you know that each pot gets exactly the same dosage
- High nutrition administered accurately over the long term
- No loss of fertilizer, as the tablets stay locked in the growing medium



How to use

- for application in existing cultures, push tablet down completely into the growing medium.
- In hanging baskets, arrange the tablets in a circle in the growing medium around the plant.
- If you're using drip irrigation, push the tablet in the growing medium directly under the dripper.
- The longevity of Osmocote exact Tablet is determined at 21°C. At lower average soil temperatures, the product will work longer at higher average soil temperatures shorter. Indicational: 16°C: 5-7M, 21°C: 5-6M, 26°C: 4-5M.
- 5 Partly used bags must be closed / sealed properly.
- 6 Store under dry and cool conditions.
- 7 If you need more information, please contact your technical support.

Application rates

How to calculate the dosage per pot or container at the application rates below:

- Tablet application
- 3-liter pot volume
- 3 x 5 g Osmocote® Exact Tablet

Total = 15 g/pot

Recommended application rates for Osmocote® Exact Tablets in g/l	3-4M 5-6M 8-9M 12-14M
Container nursery stock	2-3 g/l 3-4 g/l 4-5 g/l 4-6 g/l
Azalea/Rhododendron	- 2-3 g/l 3-4 g/l 4-5 g/l
Pot plants	2-3 g/l 3-4 g/l 4-5 g/l 4-6 g/l
Hanging baskets	3-4 g/l 3-5 g/l 4-6 g/l -

Attention The recommended rates above are based on unfertilized substrates. These are general recommendations. Adjust for specific situations, such as use in tunnels or greenhouses, autumn or winter pottings, or specific climate conditions. Contact your ICL advisor for more detailed advice. Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

