



Ficote[®] Total

12-14M

Longevity for long-lasting growth and results

17 | 9 | 10 | 2.0 | TE
N | P₂O₅ | K₂O | MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	17%
	Nitrate nitrogen (N-NO ₃)	7.6%
	Ammoniacal nitrogen (N-NH ₄)	9.4%
P ₂ O ₅	Phosphorus Pentoxide	9%
	Water soluble (P ₂ O ₅)	6.6%
K ₂ O	Potassium Oxide	10%
	Water Soluble (K ₂ O)	10.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	1.3%
B	Boron	0.011%
	Water soluble (B)	0.009%
Cu	Copper	0.032%
	Water soluble (Cu)	0.020%
Fe	Iron	0.21%
	Iron EDTA (Fe)	0.04%
Mn	Manganese	0.030%
Mo	Molybdenum	0.011%
	Water soluble (Mo)	0.011%
Zn	Zinc	0.013%
	Water soluble (Zn)	0.009%

Description

As a 2nd-generation coated fertilizer, longevity is exceptional with Ficote[®] Total 12-14M. Formulated for use as a basal dressing. You can combine it with a water-soluble fertilizer. Its high-quality formula features both 100% coated NPK and all the trace elements your ornamentals need, whenever they need it. If your release pattern during the longevity is crucial, we recommend Osmocote[®] Exact patterned release fertilizer. This range is the epitome of safety and uniformity in release.

Benefits

- \\ Perfect for base dressings
- \\ Longevity guaranteed, and great value for money
- \\ 100% coated NPK plus all essential trace elements

How to use

- 1 Ficote® Total is designed for base dressing and can be combined with a water-soluble fertilizer.
- 2 We recommend using Osmocote® Exact For difficult growing conditions, growing crops in covered areas, salt sensitive crops, high value crops, plant hole dibbling and when using full rates of coated fertilizer.
- 3 The longevity of Ficote Total is determined at 21°C. At lower average soil temperatures, the product will work longer at higher average soil temperatures shorter. Indicational: 16°C: 5-7M, 21°C: 5-6M, 26°C: 4-5M.
- 4 Partly used bags must be closed / sealed properly.
- 5 Store under dry and cool conditions.
- 6 If you need more information, please contact your technical support.

Application rates

Container nursery stock

Light feeding: 3-4 g/l

Normal feeding: 4-5 g/l

Heavy feeding: 5-6 g/l

Attention The recommended rates mentioned are based on unfertilized substrates. Please note that these are general recommendations. Contact your ICL Specialty Fertilizers advisor for more detailed advice. Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL Specialty Fertilizers cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.
