



Mini 5-6M

Easy, accurate and reliable dosing over 5 to 6 months for small plant pots

15 | 9 | 11 | 2,0 | TE N P205 K20 Mg0











Guaranteed analysis

N	Total Nitrogen	15%
	Nitrate nitrogen (N-NO3)	6.4%
	Ammoniacal nitrogen (N-NH4)	8.6%
P205	Phosphorus Pentoxide	9%
	Water soluble (P2O5)	6.5%
K20	Potassium Oxide	11%
	Water Soluble (K2O)	11.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	1.3%
В	Boron	0.023%
	Water soluble (B)	0.021%
Cu	Copper	0.058%
	Water soluble (Cu)	0.045%
Fe	Iron	0.46%
	Iron EDTA (Fe)	0.09%
Mn	Manganese	0.063%
Мо	Molybdenum	0.023%
	Water soluble (Mo)	0.023%
Zn	Zinc	0.027%
	Water soluble (Zn)	0.018%

Description

The finer granules of Osmocote® Exact Mini 5-6M make it perfect for smaller pots. Just mix the granules in or apply by topdressing once the roots have developed, and the nutrients will be steadily released. Ideal for small substrate volumes from 20 ml, so it is perfect for plugs and trays with small compartments – or any pot smaller than 8 cm in diameter. 100% coated & 100% safe for plants.

Benefits

- Full package of trace elements and magnesium
- Uniform plant growth thanks to excellent granule distribution
- **\)** All nutrients in every granule



How to use

- The longevity of Osmocote exact Mini is determined at 21°C. At lower average soil temperatures, the product will work longer at higher average soil temperatures shorter. Indicational: 16°C: 5-7M, 21°C: 5-6M, 26°C: 4-5M.
- 2 Partly used bags must be closed / sealed properly.
- 3 Store under dry and cool conditions.
- 4 If you need more information, please contact your technical support.

Application rates

Recommended application rates for Osmocote® Exact Mini granules in Mixed in		
g/I	substrate	Broadcast
Fast-growing cuttings	2-2.25 g/l	50-70 g/m²
Mini pot plants	2-3 g/l	50-70 g/m²
Forestry cuttings	1.5-2.5 g/l	50-70 g/m²
Forestry seedlings of species germinating within 2 months	1.5-2.5 g/l	50-70 g/m²
Nursery stock cuttings	1.5-2.5 g/l	50-70 g/m²

Attention The recommended rates above are based on unfertilized substrates. Adjust the pH level according to crop requirements. These are general recommendations. Adjust for specific situations, such as use in tunnels or greenhouses, or specific climate conditions. Not recommended for dibbling and/or autumn/winter pottings. Contact your ICL Specialty Fertilizers advisor for more detailed advice. Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

