



Sierraform[®] GT

K-Step

Your perfect autumn greens fertilizer

6 | 0 | 27 | 2.0 | TE
N P2O5 K2O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	6%
	Ammoniacal nitrogen (N-NH4)	0.8%
	Urea nitrogen (N-Urea)	0.2%
	Ureaformaldehyde (N-MU)	5%
P2O5	Phosphorus Pentoxide	0%
K2O	Potassium Oxide	27%
	Water Soluble (K2O)	27.0%
MgO	Magnesium Oxide	2.0%
Cu	Copper	0.030%
Fe	Iron	0.70%
Mn	Manganese	0.150%
Mo	Molybdenum	0.001%
Zn	Zinc	0.025%

Description

To condition your turf before it becomes stressed: it contains extra potassium, which will harden your grass. Ideal all year round, on all fine turf. These single-compound micro-granules contain standard-release and slow-release nitrogen and potassium, plus all essential trace elements. K-Step's low nitrogen content means compact growth and hardened turf, while its magnesium will boost color and hide the symptoms of stress. Features our famous patented MU2 and SiLK technologies. a zero phosphorus analysis.

Benefits

- \\ Low N & high K ratio for turf health during autumn and winter
- \\ Compact growth, stronger grass, brighter color
- \\ Sustained release for 6 – 8 weeks
- \\ Even spread at low application rates
- \\ Successfully used in many autumn ITM trials and programs to reduce disease occurrence

How to use

- 1 Apply to dry foliage and irrigate after 1 – 2 days if there is no rainfall. Irrigation helps with dispersion and lowers risk of mower pick-up on close cut surfaces. Watering-in after application will minimize footprint trails. Avoid applying during frosty or drought conditions.
- 2 Delay any vertical cutting and/or grooming until 3 days after application, to allow the granules to properly disperse. Significantly less nitrogen is released when soil temperatures are below 10° C.
- 3 If spilled on pavement, concrete, clothes, etc. brush off immediately as it can stain. Contains iron: do not apply in case of risk of contact with concrete, marble, stone, fabric, or swimming pools.
- 4 If you need more information, please contact your technical support.

Recommended period of use

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC

Application rates

Recommended Rate:

20 – 30 g/m²

Trial first on a small scale before changing the rate, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.