



Sierraform® GT

All Season

For healthy turf

18 | 6 | 18 | 2.0 | TE
N P2O5 K2O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	18%
	Ammoniacal nitrogen (N-NH4)	1.3%
	Urea nitrogen (N-Urea)	7.9%
	Ureaformaldehyde (N-MU)	8.2%
P2O5	Phosphorus Pentoxide	6%
	Water soluble (P2O5)	5.0%
K2O	Potassium Oxide	18%
	Water Soluble (K2O)	18.0%
MgO	Magnesium Oxide	2.0%
Cu	Copper	0.02%
Fe	Iron	0.5%
Mn	Manganese	0.100%
Mo	Molybdenum	0.001%
Zn	Zinc	0.020%

Description

If your turf is looking less than perfect and showing signs of stress, simply reach for the Sierraform® GT All Season. It'll be on the road to recovery in just a few days. This fertilizer contains NPK in a normal-release form plus slow-release nitrogen and potassium, a full range of trace elements to improve turf health, plus magnesium for a boost to color. You can use it after aerating to encourage growth. These homogeneous micro-granules feature our patented MU2 and SiLK coating technologies. Sierraform® GT All Season releases nutrients for 6 – 8 weeks in cooler weather and is your ideal choice from spring to autumn, especially for areas of fine turf.

Benefits

- \\ Balanced N&K ratio for strong in-season growth
- \\ Slow release N (MU) for consistent and sustained turf response
- \\ Mg supplied for added color
- \\ TE supplied in case of deficiency

How to use

- 1 Apply to dry foliage and irrigate after 1 – 2 days if there is no rainfall. Irrigation helps with dispersion and lowers risk of mower pick-up on close cut surfaces. Watering-in after application will minimize footprint trails. Avoid applying during frosty or drought conditions.
- 2 Delay any vertical cutting and/or grooming until 3 days after application, to allow the granules to properly disperse. Significantly less nitrogen is released when soil temperatures are below 10° C.
- 3 If spilled on pavement, concrete, clothes, etc. brush off immediately as it can stain. Contains iron: do not apply in case of risk of contact with concrete, marble, stone, fabric, or swimming pools.
- 4 If you need more information, please contact your technical support.

Recommended period of use

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NNOV	DEC

Application rates

Recommended Rate:

20 – 30 g/m²

Trial first on a small scale before changing the rate, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.