



Sierrablen® Plus

Spring starter 3M

Time to spring into action

24 | 5 | 13
N P2O5 K2O



Guaranteed analysis

Oxide		
N	Total Nitrogen	24%
	Nitrate nitrogen (N-NO3)	1.9%
	Ammoniacal nitrogen (N-NH4)	3.0%
	Urea nitrogen (N-Urea)	18.1%
P2O5	Phosphorus Pentoxide	5%
	Water soluble (P2O5)	3.7%
K2O	Potassium Oxide	13%
	Water Soluble (K2O)	13.0%

Description

Get your growing season off to the perfect start with Sierrablen® Plus Spring Starter 3M. Equipped with ICL's patented Poly-S and PACE technologies, this NPK fertilizer will provide your turf with a controlled nutrient release over a pre-defined 3-month period. With its high level of nitrogen, you can ensure a quick plant response, even in cooler conditions, allowing your turf to step into spring in an all-round healthy fashion.

Benefits

- \\ Perfect as first controlled-release fertilizer of the season
- \\ High nitrogen for a rapid response, even in lower temperatures
- \\ Ensures all-round healthy early-season growth

How to use

- 1 Apply directly to dry foliage.
- 2 Watering-in after application helps dispersion and boosts immediate effect. Do not apply during drought or frosty conditions.
- 3 You should apply following completion of aeration programs, including scarification, slitting and/or hollow tining to prevent damage to the granules.
- 4 Properly seal partly used or damaged bags.
- 5 Store under dry conditions.
- 6 If you need more information, please contact your technical support.

Recommended period of use

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC

Application rates

Average Recommended Rate:	30 g/m ²
Recommended Rate:	25.00 - 35.00 g/m ²

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.