

Sierrablen[®] Plus

Active 4-5M

Balanced N&K for active growth

18 | 5 | 18 | 2,0 N P205 K20 Mg0









Guaranteed analysis


| Oxide | | |
|-------|-----------------------------|-------|
| N | Total Nitrogen | 18% |
| | Nitrate nitrogen (N-NO3) | 3.4% |
| | Ammoniacal nitrogen (N-NH4) | 4.4% |
| | Urea nitrogen (N-Urea) | 8.6% |
| P205 | Phosphorus Pentoxide | 5% |
| | Water soluble (P2O5) | 3.7% |
| K20 | Potassium Oxide | 18% |
| | Water Soluble (K2O) | 18.0% |
| MgO | Magnesium Oxide | 2.0% |

Description

When actively seeking active growth, reach for Sierrablen® Plus Active 4-5M. Thanks to ICL's patented Poly-S coating technology, this controlled-release nitrogen and potassium-rich fertilizer provides a 4-5 month sustained nutrient release, ideal for both spring and summer applications. The included full trace element package means you can promote stress recovery and increase overall plant health. Hide stress symptoms and boost your turf's vibrant color with its added magnesium content.

Benefits





Improves turf color and overall health



How to use

- Apply directly to dry foliage.
- Watering-in after application helps dispersion and boosts immediate effect. Do not apply during drought or frosty conditions.
- You should apply following completion of aeration programs, including scarification, slitting and/or hollow tining to prevent damage to the granules.
- Contains iron: Do not allow product to come into contact with marble, stone, fabric, concrete, swimming pools, etc. As product can cause discoloration, brush off immediately if spilt over concrete, paving slabs, clothes, etc.
- 5 Properly seal partly used or damaged bags.
- 6 Store under dry conditions.
- 7 If you need more information, please contact your technical support.

Recommended period of use

| JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NNOV | DEC |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|
| | | | | | | | | | | | |

Application rates

Recommended Rate:

30.00 - 45.00 g/m²

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

