Sportsmaster

Cleanrun Pro

The perfect weed and feed for your turf

14	0	5
N	P2O5	K2O

6 Weeks

Turf REWARDS PRODUCT

Guaranteed analysis

Oxide		
N	Total Nitrogen	14%
	Ammoniacal nitrogen (N-NH4)	5.8%
	Urea nitrogen (N-Urea)	8.2%
P2O5	Phosphorus Pentoxide	0%
K2O	Potassium Oxide	5%
	Water Soluble (K2O)	5.0%

Description

Daisies and dandelions will be a thing of the past with Cleanrun Pro: just one application will keep any broad-leaved weeds firmly under control. Ideal to use in spring and summer when weeds are growing fast. Your turf will also thank you for the nitrogen and potassium that these mini compound granules contain. You'll soon see steady growth and good color, with no speckling. Easy to apply, and effective for up to 6 weeks.

Benefits

- Eradicates broad-leaved weeds
- Nitrogen and potassium for color and even growth
- Easy to apply

ICL

How to use

1. Apply to dry foliage and irrigate after 1 – 2 days if there is no rainfall. Irrigation helps with dispersion and lowers risk of mower pick-up on close cut surfaces. Avoid applying during frosty or drought conditions.
2. Delay any vertical cutting and/or grooming until 3 days after application, to allow the granules to properly disperse.
3. Do not apply to newly sown or turfed areas until 6 months after establishment.
4. Avoid contact/drift onto all broadleaved plants outside your target area.
5. For best results apply when light showers or heavy dews are expected or irrigate after 2 days.
6. It's best not to cut grass for 3 days before and at least 4 days after treatment.
7. The first 4 mowing after treatment should not be used as a compost or mulch unless composted for 6 months. It's best not to re-seed bare patches until 8 weeks after treatment. Avoid walking on treated areas until it has rained, or irrigation has been applied. Do not apply more than 3 applications per year.
8. If you need more information, please contact your technical support.

Recommended period of use

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NNOV	DEC

Application rates

Recommended Rate:	35 g/m²

Trail first on a small scale before changing the rate, or any other variables, As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.