



Sierrablen® Plus

Turf Starter with Pearl® Technology

Suburb for laying sod or seeding

5 | 28 | 0 | 16.5
N P2O5 K2O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	5%
	Ammoniacal nitrogen (N-NH4)	5%
P2O5	Phosphorus Pentoxide	28%
K2O	Potassium Oxide	0%
MgO	Magnesium Oxide	16.5%

Description

Help your turf better establish itself with the help of Sierrablen® Plus Turf Starter with Pearl® Technology mineral fertilizer. Boost soil establishment and overall growth thanks to this high-phosphorus formula, designed to help your turf establish stronger, more nutrient-efficient roots. With ICL's Pearl® technology, you can root out any unwanted phosphorus leaching. Use this formula as part of other high-nitrogen applications to create a complete nutrient package for your turf.

Benefits

- \\ Root Activated™ continuous-release phosphorus for improved rooting
- \\ Enhances phosphorus uptake and efficiency
- \\ Yields earlier harvest time in turf production

How to use

- 1 Renovation: Use a spreader to apply the fertilizer shortly after scarifying to allow the granules to disperse within the sward.
- 2 Sodding: Once the soil has been prepared, apply the fertilizer evenly prior to sodding. The roots of the sod should be in contact with the granules.
- 3 Seeding and over-seeding: Seeding – Use a spreader to apply the fertilizer and work it into the top 3 cm of soil prior to seeding.
- 4 Over-Seeding – Use a spreader to apply the fertilizer once the soil has been opened up, before reseeding later.
- 5 If you need more information, please contact your technical support.

Recommended period of use

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NNOV	DEC

Application rates

Recommended Rate: _____

20-40g/m2

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.