

Peters Professional

Foliar Feed

The perfect leaf-feeding solution for fast absorption

27 | 15 | 12 | TE N P205 K20







Guaranteed analysis

Oxide	e	
Ν	Total Nitrogen	27%
	Nitrate nitrogen (N-NO3)	3.6%
	Ammoniacal nitrogen (N-NH4)	2.9%
	Urea nitrogen (N-Urea)	20.5%
P205	5 Phosphorus Pentoxide	15%
	Water soluble (P2O5)	15.0%
K20	Potassium Oxide	12%
	Water Soluble (K2O)	12.0%
В	Boron	0.03%
	Water soluble (B)	0.03%
Cu	Copper	0.070%
	Water soluble (Cu)	0.070%
	Copper EDTA (Cu)	0.070%
Fe 	Iron	0.15%
	Water soluble (Fe)	0.15%
	Iron DTPA (Fe)	0.15%
Mn	Manganese	0.07%
	Water soluble (Mn)	0.07%
	Manganese EDTA (Mn)	0.07%
Мо	Molybdenum	0.001%
	Water soluble (Mo)	0.001%
Zn	Zinc	0.070%
	Water soluble (Zn)	0.070%
	Zinc EDTA (Zn)	0.070%

Description

If you prefer to feed your pot and bedding plants through their leaves rather than the roots, this is the one! With Peters® Professional Foliar Feed, they'll get all the nutrition they need. Featuring a high urea content, NPK and a specifically modified complement of trace elements, as well as our M-77 chelating formula. With no ballast substances, Foliar Feed is pure goodness, and plants will respond fast.

Benefits

Nerfect solution if root absorption is not ideal

Mall, easy-dissolve granules

Urea and trace elements: ideal for potted and bedding plants

Characteristics



How to use

- 1 It's best to prepare your stock solution 1-2 hours before use, stir well or use warm water to make sure that Peters® Professional Foliar Feed dissolves completely.
- 2 Do not mix this product with Peters® Excel.
- 3 Close partly used or damaged bags securely.
- 4 Store under dry conditions.
- 5 If you need more information, please contact your technical support.

Application rates

Continuous feeding Occasional feeding

0.5 - 1.5 g/liter

(for example, once a week) 0.8 - 2 g/liter

Attention Trial first on a small scale before changing the rate, application or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL Specialty Fertilizers cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

