

Sportsmaster WSF

High N

The flexible soluble solution

35 | 0 | 14 N P205 K20





Guaranteed analysis

Oxide		
N	Total Nitrogen	35%
	Nitrate nitrogen (N-NO3)	4.3%
	Urea nitrogen (N-Urea)	30.7%
P205	Phosphorus Pentoxide	0%
K20	Potassium Oxide	14%
	Water Soluble (K2O)	14.0%

Characteristics

Description

Your grass will respond quickly to this premium fertilizer: our patented TMax technology combined with an extra generous helping of nitrogen (from mixed sources) ensure the best possible leaf and root uptake, fast. It also contains potassium for a hardy turf with steady, even growth and chelated iron for a richer green. Water-soluble, it's ideal for mixing with a main granular fertilizer to top up nitrogen and iron levels and keep your turf happy throughout the growing season.

Benefits

High in nitrogen for a quick boost

\) Stronger, brighter grass with balanced growth

Good to combine with main granular fertilizer program



How to use

- Sportsmaster® WSF products are tank-mixable with other products within the range and H2Pro® & H2Pro® Maximize wetting agents. Avoid applying during frosty or drought conditions.
- Mix with Turf Mark® Extra spray pattern indicator to aid spraying, condition water and minimize spray drift. (Turf Mark® is a registered trademark of BASF)
- To ensure that this product dissolves completely, mix by adding the quantity required to a half-full spray tank, then agitating for 10 15 minutes.
- Then fill the tank to full capacity with water. The water temperature will affect the dissolution rate. The water volume used to apply Sportsmaster® WSF will affect how nutrients are taken up by the plant.
- For foliar applications use low water volumes (300 600 l/ha) and to optimize uptake avoid high temperatures and sunny conditions.
- For root uptake applications use high water volumes (600 1000 l/ha) and irrigate immediately afterwards for a minimum of 2 3 minutes, to provide the necessary water volume and to reduce the risk of turf injury.
- If spilled on pavement, concrete, clothes, etc. brush off immediately as it can stain. Contains iron: do not apply in case of risk of contact with concrete, marble, stone, fabric, or swimming pools.
- 8 If you need more information, please contact your technical support.

Recommended period of use



Application rates

Pacammandad Pata: 15 - 60 kg/ha

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

