

Agrolution Special

125

A Special fertilizer for special growth

7 | 14 | 35 | 3,5 | TE N P205 K20 Mg0





Guaranteed analysis

Oxide		
N	Total Nitrogen	7%
	Nitrate nitrogen (N-NO3)	5.9%
	Urea nitrogen (N-Urea)	1.1%
P2O5	Phosphorus Pentoxide	14%
	Water soluble (P2O5)	14.0%
K2O	Potassium Oxide	35%
	Water Soluble (K2O)	35.0%
MgO	Magnesium Oxide	3.5%
	Water soluble (MgO)	3.5%
В	Boron	0.01%
	Water soluble (B)	0.01%
Cu	Copper	0.010%
	Water soluble (Cu)	0.010%
	Copper EDTA (Cu)	0.010%
Fe	Iron	0.16%
	Water soluble (Fe)	0.16%
	Iron EDTA (Fe)	0.16%
Mn	Manganese	0.06%
	Water soluble (Mn)	0.06%
	Manganese EDTA (Mn)	0.06%
Mo	Molybdenum	0.006%
	Water soluble (Mo)	0.006%
Zn	Zinc	0.010%
	Water soluble (Zn)	0.010%
	Zinc EDTA (Zn)	0.010%

Description

Cater to your fruit, vegetable, and arable crops' every nutritional need with Agrolution® Special 125 fertigation fertilizer. With its high-potassium NPK formula and full trace element package, you can be sure that this acidifying, water-soluble application will provide the right nutrient ratio and improve nutrient availability for your plants. With its enhanced purity, solubility, and acidifying effect, you can prevent deposits and blockages from occurring within your soft water irrigation systems.

Benefits

Note: Delivers all required plant nutrients

l Equipped with a full trace element package

Includes magnesium to optimize plant energy and photosynthesis

Characteristics



How to use

- The Agrolution® range offers a wide range of analyses covering all crop growth stages while providing tailored assistance to specific soil and water types.
- Store under dry conditions.
- Properly seal partly used or damaged bags.
- If you need more information, please contact your technical support.

Application rates

The average recommended application rate is 40-50 kg/ha per week.

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

