



Agrolution[®] pHLow

242

Give your crops all-round nutrition with this high-phosphorous NPK formula

15 | 30 | 15 | TE
N P₂O₅ K₂O



Guaranteed analysis

Oxide		
N	Total Nitrogen	15%
	Nitrate nitrogen (N-NO ₃)	3.6%
	Ammoniacal nitrogen (N-NH ₄)	6.2%
	Urea nitrogen (N-Urea)	5.2%
P ₂ O ₅	Phosphorus Pentoxide	30%
	Water soluble (P ₂ O ₅)	30.0%
K ₂ O	Potassium Oxide	15%
	Water Soluble (K ₂ O)	15.0%
B	Boron	0.01%
	Water soluble (B)	0.01%
Cu	Copper	0.010%
	Water soluble (Cu)	0.010%
	Copper EDTA (Cu)	0.010%
Fe	Iron	0.16%
	Water soluble (Fe)	0.16%
	Iron EDTA (Fe)	0.16%
Mn	Manganese	0.06%
	Water soluble (Mn)	0.06%
	Manganese EDTA (Mn)	0.06%
Mo	Molybdenum	0.006%
	Water soluble (Mo)	0.006%
Zn	Zinc	0.010%
	Water soluble (Zn)	0.010%
	Zinc EDTA (Zn)	0.010%

Description

If your fruit, vegetable, and arable crops need a phosphorus-rich nutrient boost, choose Agrolution[®] pHLow 242 fertigation fertilizer. Deliver the exact required level of nutrients for your plants and resolve water quality issues in hard water areas thanks to this specially-designed, acidifying, and water-soluble application. With its high-phosphorus NPK formula, your crops will enjoy all-round nutrition and healthy growth. Its enhanced purity, solubility, and acidifying effect also help you prevent irrigation system deposits and blockages.

Benefits

- Resolves nitrogen, potassium, and phosphorus deficits
- Enhanced nutrient availability
- Fully water-soluble

How to use

- 1 The Agrolution® range offers a wide range of analyses covering all crop growth stages while providing tailored assistance to specific soil and water types.
- 2 Store under dry conditions.
- 3 Properly seal partly used or damaged bags.
- 4 For specific recommendations, please ask for individual Agrolution® technical product information or contact your ICL advisor.

Application rates

The average recommended application rate is 40-50 kg/ha per week.

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.
