



Solinure®

1 High K

High potassium for high potential

10 | 5 | 40 | 2.0 | TE
N P₂O₅ K₂O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	10%
	Nitrate nitrogen (N-NO ₃)	9.0%
	Ammoniacal nitrogen (N-NH ₄)	1.0%
P ₂ O ₅	Phosphorus Pentoxide	5%
	Water soluble (P ₂ O ₅)	5.0%
K ₂ O	Potassium Oxide	40%
	Water Soluble (K ₂ O)	40.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	2.0%
B	Boron	0.01%
	Water soluble (B)	0.01%
Cu	Copper	0.010%
	Water soluble (Cu)	0.010%
	Copper EDTA (Cu)	0.010%
Fe	Iron	0.06%
	Water soluble (Fe)	0.06%
	Iron EDTA (Fe)	0.06%
Mn	Manganese	0.05%
	Water soluble (Mn)	0.05%
	Manganese EDTA (Mn)	0.05%
Mo	Molybdenum	0.005%
	Water soluble (Mo)	0.005%
Zn	Zinc	0.022%
	Water soluble (Zn)	0.022%
	Zinc EDTA (Zn)	0.022%

Description

Give your field or greenhouse-grown fruits and vegetables that all-round, high-potassium nutritional hit with Solinure® 1 High K fertigation fertilizer. Providing incredible value for money, this soluble fertilizer's high-potassium NPK formula gives your plants exactly what they need, especially in cool and dark wintery conditions. Treat your crops to high quality ingredients with its low level of impurities. Ensure high performance with an appropriate trace element package and added magnesium.

Benefits

- \\ The dependability of Solinure products
- \\ Smart, cost-effective formula
- \\ Food grade color indicator

Characteristics

How to use

- 1 Use Solinure® 1 High K especially for fruit in their growing and ripening stages, along with the production of winter crops.
- 2 Store under dry conditions.
- 3 Properly seal partly used or damaged bags.
- 4 For specific advice and recommendations, contact ICL or your professional advisor.

Application rates

Application rate:

40-60 kg/ha per week.

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.
