

7 High N Make your plants High-N mighty





Guaranteed analysis

Oxide		
N	Total Nitrogen	24%
	Nitrate nitrogen (N-NO3)	1.2%
	Ammoniacal nitrogen (N-NH4)	4.0%
	Urea nitrogen (N-Urea)	18.8%
P2O5	Phosphorus Pentoxide	12%
	Water soluble (P2O5)	12.0%
K2O	Potassium Oxide	12%
	Water Soluble (K2O)	12.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	2.0%
В	Boron	0.01%
	Water soluble (B)	0.01%
Cu	Copper	0.002%
	Water soluble (Cu)	0.002%
	Copper EDTA (Cu)	0.002%
Fe	Iron	0.04%
	Water soluble (Fe)	0.04%
	Iron EDTA (Fe)	0.04%
Mn	Manganese	0.01%
	Water soluble (Mn)	0.01%
	Manganese EDTA (Mn)	0.01%
Мо	Molybdenum	0.002%
	Water soluble (Mo)	0.002%
Zn	Zinc	0.002%
	Water soluble (Zn)	0.002%
	Zinc EDTA (Zn)	0.002%

Characteristics

Description

When it comes to your tunnel system, field, and greenhouse-grown fruit and vegetable crops' expected growth, put the high-N in high-end nutrition with Solinure® 7 High N fertigation fertilizer. Complete with added magnesium, along with a full trace element package for stronger plant performance, this high-nitrogen NPK formula is tailored to your plants' specific nutritional needs. This makes it your cost-effective solution for great growth and results.

Benefits

- Completely chloride-free
- Nuited to boosting vegetative growth
- 🚺 Added magnesium and full trace element package





How to use

4

- 1 Use Solinure® 7 High N to boost your plants' vegetative growth during their vegetative stage.
- 2 Store under dry conditions.
- 3 Make sure you properly seal partly used or damaged bags.
 - For specific advice and recommendations, contact ICL or your professional advisor.

Application rates

Application rate: 40-60 kg/ha per week.

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

