



Solinure®

3 Extra K

Extra K for that extra K-ick

12 | 5 | 36 | 2.0 | TE
N | P2O5 | K2O | MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	12%
	Nitrate nitrogen (N-NO3)	8.6%
	Ammoniacal nitrogen (N-NH4)	2.0%
	Urea nitrogen (N-Urea)	1.4%
P2O5	Phosphorus Pentoxide	5%
	Water soluble (P2O5)	5.0%
K2O	Potassium Oxide	36%
	Water Soluble (K2O)	36.0%
MgO	Magnesium Oxide	2.0%
	Water soluble (MgO)	2.0%
B	Boron	0.01%
	Water soluble (B)	0.01%
Cu	Copper	0.010%
	Water soluble (Cu)	0.010%
	Copper EDTA (Cu)	0.010%
Fe	Iron	0.06%
	Water soluble (Fe)	0.06%
	Iron EDTA (Fe)	0.06%
Mn	Manganese	0.05%
	Water soluble (Mn)	0.05%
	Manganese EDTA (Mn)	0.05%
Mo	Molybdenum	0.005%
	Water soluble (Mo)	0.005%
Zn	Zinc	0.022%
	Water soluble (Zn)	0.022%
	Zinc EDTA (Zn)	0.022%

Characteristics

Description

Put the K in that extra potassium kick for your greenhouse, field, and tunnel system fruit and vegetable crops with Solinure® 3 Extra K fertigation fertilizer. To provide you with the best possible value for money, this high-potassium NPK formula only contains the exact ingredients required to meet your plants' specific needs, helping them fulfil their maximum potential. Ensure high performance from every crop with a full trace element package and added magnesium.

Benefits

- \\ Ideal for greenhouse and tunnel system use
- \\ Perfect for fruit growing stage
- \\ Chloride-free with reduced levels of urea

How to use

- 1 Use Solinure® Extra K especially from fruit set and during fruit enlargement.
- 2 Store under dry conditions.
- 3 Properly seal partly used or damaged bags.
- 4 For specific advice and recommendations, contact ICL or your professional advisor.

Application rates

Application rate: 40-60 kg/ha per week.

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.
