



Agroblen®

11-21-9+6MgO

Reap the fruits of your labor

11 | 21 | 9 | 6.0
N P2O5 K2O MgO



Guaranteed analysis

Oxide		
N	Total Nitrogen	11%
	Nitrate nitrogen (N-NO ₃)	3.0%
	Ammoniacal nitrogen (N-NH ₄)	8.0%
P ₂ O ₅	Phosphorus Pentoxide	21%
	Water soluble (P ₂ O ₅)	15.7%
K ₂ O	Potassium Oxide	9%
	Water Soluble (K ₂ O)	9.0%
MgO	Magnesium Oxide	6.0%

Description

Treat your forestry, vineyard, and orchard crops to a well-rounded phosphorus kick with Agroblen® 11-21-9+6MgO | 8-9M. This high-phosphorus NPK fertilizer is enriched with added calcium, magnesium, sulfur, and boron to provide your plants with a comprehensive nutrient package that promotes all-round growth. Sit back and watch your plants thrive over a pre-defined 8-9 month period, thanks to a combination of high-quality raw materials with ICL's patented Resin Release Technology.

Benefits

- \\ NPK ratio designed for establishing long-term crops
- \\ High phosphorus for new plantations
- \\ Environmentally friendly due to minimized nutrient losses
- \\ Can be applied in planting holes just before planting
- \\ High level of magnesium to maximize photosynthesis

How to use

..

- 1 Apply using planting hole method.
- 2 You can also use row, spots, or broadcasting application methods.
- 3 Do not apply more than 1-2 weeks before planting.
- 4 Incorporate into the soil at a depth between 5-10 cm.
- 5 Place the product under drippers where applicable.
- 6 Improve product and plant performance by irrigating after application.
- 7 Reduce the applied dosage if WSFs are used in the second part of the crop cycle.
- 8 Store under dry conditions.
- 9 Properly seal partly used or damaged bags.
- 10 If you need more information, please contact your technical support.



Application rates

Crops:	g/Plant
Orchards (new plantations):	75-100 g/plant
Vineyards and Soft fruits (Blackberry, raspberry, currants) (new plantations):	10-20 g/plant

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.