



# Agromaster®

## 19-5-20+4MgO+19.5SO<sub>3</sub>

 You're in control with Agromaster

19		5		20		4.0		19.5
N		P <sub>2</sub> O <sub>5</sub>		K <sub>2</sub> O		MgO		SO <sub>3</sub>

### Description

Agromaster® 19-5-20+4MgO+19.5SO<sub>3</sub> | 2-3M features plenty of nitrogen and potassium so your vegetables and fruit are sure to grow uniformly. It's ideal for crops in open fields or protected areas, or plants in field-grown nurseries. They'll also enjoy extra magnesium to boost their photosynthesis and sulphur so they can absorb nitrogen more effectively. With 35% coated nitrogen featuring our state-of-the-art E-Max release technology for a gradual release over 2 – 3 months, plus a blend of conventional fertiliser, your plants will produce more at the same application rates. There's also less wastage: any leaching of nitrogen, volatilisation, and denitrification is kept to a minimum, so more goes to your crops.

### Guaranteed analysis

#### Oxide

N	Total Nitrogen	19%
	Ammoniacal nitrogen (N-NH <sub>4</sub> )	1.4%
	Urea nitrogen (N-Urea)	17.6%
P <sub>2</sub> O <sub>5</sub>	Phosphorus Pentoxide	5%

	Water soluble ( $P_2O_5$ )	4.7%
$K_2O$	Potassium Oxide	<b>20%</b>
	Water Soluble ( $K_2O$ )	20%
$MgO$	Magnesium Oxide	<b>4%</b>
$SO_3$	Sulphur trioxide	<b>19.5%</b>

## Benefits

- High NK for uniform growth, plus magnesium and sulphur
- Higher yield, or use less and still maintain your usual yield
- Blend of immediate nutrients and technologically controlled release

## Application rates

Crop	Rate
Field grown nurseries	400-800 kg/ha
Fruits and vegetables grown in protected areas and in open field	400-800 kg/ha

Trial first on a small scale before changing the rate, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

## How to use

- 1 Apply by broadcasting, or by row or bed.
- 2 Incorporate Agromaster® in the soil between 5-10 cm depth.

- 3 Where applicable, place the product under drippers.
- 4 Irrigating after application improves product and plant performance.
- 5 If you're using WSFs in the second part of the crop cycle, reduce the dosage of Agromaster® accordingly.
- 6 Store under dry conditions.
- 7 Properly seal partly used or damaged bags.
- 8 If you need more information, please contact your technical support.

## Attention

Please contact your ICL Technical Area Sales Manager for more detailed advice.

<https://icl-growingsolutions.com/en-gb/agriculture/products/agromaster-19-5-204mgo19-5so3/>  
: 12/05/2024

---

ICL Growing Solutions [marketing.ukire@icl-group.com](mailto:marketing.ukire@icl-group.com)

